

Date Revised: 01/03/17

1. Product and Company Identification

Product Name : 4090 WHITE SEMI GLOSS
Recommended Use: See Technical Data Sheet.

Company Identification:
Valley Paint Manufacturing
727 S. 950 West
Woods Cross, UT 84087

Information Phone: (801) 298-4581
Emergency Phone...: (801) 424-9300

2. Hazards Identification

GHS Classification
NON-FLAMMABLE NON-COMBUSTIBLE
CATEGORY 5

GHS Label Elements

Hazard Pictograms:



KEEP CONTAINER TIGHTLY CLOSED. AVOID BREATHING DUST, FUME, MIST, VAPOURS, AND SPRAY. USE ONLY OUTDOORS OR IN WELL VENTILATED AREA. WEAR PROTECTIVE GLOVES, EYE PROTECTION, AND FACE PROTECTION.

3. Composition/Information on Ingredients

Component	CAS#	% by Wt.
* ACRYLIC LATEX POLYMER	NA	43
PROPYLENE GLYCOL	57-55-6	
AIHA WEEL 50 PPM TWA		

4. First Aid Measures

Eyes:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER. KEEP EYES WIDE OPEN WHILE RINISING. IF EYE IRRITATION PERSISTS, CONSULY SPECIALIST.

Skin:

WASH SKIN IMMEDIATELY IF ON SKIN

Ingestion:

KEEP RESPIRATORY TRACT CLEAR. IF SYMTOMS PERSIST, CALL A PHYSICAN.

Inhalation:

CONSULT PHYSICAN AFTER SIGNIFICANT EXPOSURE.

Note to Physicians:

CONTACT PHYSICAN IMMEDIATELY.

5. Fire Fighting Measures

Flammable Properties:

Flash Point: 218 DEG F

Method: SETAFLASH

Hazardous Combustion Products:

NO HAZARDOUS COMBUSTION PRODUCTS ARE KNOWN.

Extinguishing Media:

FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG, OTHER

Firefighting Procedures:

Respiratory equipment should be worn to avoid inhalation of concentrated vapors. Water should not be used except as fog to keep nearby containers cool.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

USE PERSONAL PROTECTIVE EQUIPMENT. ENSURE ADEQUATE VENTILATION. BEWARE OF VAPOURS ACCUMULATING.

Environmental Precautions:

PREVENT PRODUCT FROM ENTERING DRAINS. PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

Methods/Materials for Containment and Cleaning Up:

CONTAIN SPILLAGE, THEN COLLECT WITH ABSORBENT MATERIAL.

7. Handling and Storage

Handling:

Use non-sparking utensils when handling this material. Avoid hot metal surface. Use in cool, well-ventilated areas. Keep containers closed when not in use. Keep away from excessive heat and open flames.

Storage:

KEEP CONTAINER CLOSED IN A DRY AND WELL VENTILATED AREA. OBSERVE LABEL PRECAUTIONS.

8. Exposure Controls / Personal Protection

Airborne Exposure Limits:

SEE SECTION 3

Personal Protective Equipment

Respiratory Protection:



4090 WHITE SEMI GLOSS

Date Printed: 4/14/2017

Page 3 of 5

Skin Protection:

Impermeable chemical handling gloves for skin protection.

Eye Protection:

Use chemical safety glasses, goggles, and faceshields for eye protection.

9. Physical and Chemical Properties

Boiling Point.....	370 DEG F	
Melting Point.....	NOT ESTABLISHED BECAUSE IT IS A LIQUID	
Freezing Point.....	n/a	
Flash Point.....	218 DEG F	
Vapor Density.....	HEAVIER THAN AIR	
Solubility in Water.....	Non Soluble	
Evaporation Rate.....		
Flammability (solid, gas)....	NON-FLAMMABLE	NON-COMBUSTIBLE
Explosion Limits:		
Lower Explosive Limit.....	2.6% (V)	
Upper Explosive Limit.....	12.5% (V)	
Specific Gravity.....	1.25	
Odor.....	INFORMATION NOT AVAILABLE.	
Appearance.....	INFORMATION NOT AVAILABLE.	
pH.....	INFORMATION NOT AVAILABLE.	
MATERIAL V.O.C.....	0.365 lb/gl	44 g/l
COATING V.O.C.....		
0.77 lb/gl		92 g/l

10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):
NO DANGEROUS REACTION KNOW UNDER CONDITIONS OF NORMAL USE. STABLE UNDER NORMAL CONDITIONS.

Incompatibility:
Alkaline materials, strong acids and oxidizing materials.

Hazardous Decomposition Products:
Carbon monoxide, carbon dioxide, oxides of nitrogen, and possibly acrolein.

Hazardous Polymerization:
WILL OCCUR

11. Toxicological Information

Eye:
EYE DAMAGE/EYE IRRITATION. CATEGORY 5

Skin:
MAY CAUSE SKIN IRRITATION IN SUSCEPTIBLE PERSONS.

Ingestion:
DO NOT INGEST. CAN CAUSE GASTROINTESTINAL IRRITATION, VOMITING, NAUSEA, AND DIARRHEA.

Inhalation:
INHALATION: DIZZINESS, BREATHING DIFFICULTY, HEADACHES, AND LOSS OF COORDINATION.

Subchronic:

Chronic/Carcinogenicity:
NON-CARCINOGENICITY.

IARC:

INFORMATION NOT AVAILABLE.

NTP:

INFORMATION NOT AVAILABLE.

OSHA:

INFORMATION NOT AVAILABLE.

12. Ecological Information

Environmental Fate:

INFORMATION NOT AVAILABLE.

Environmental Toxicity:

NO DATA AVAILABLE

Other Adverse Effects:

NO DATA AVAILABLE

13. Disposal Considerations

Waste Disposal Method:

Collect absorbent/water/spilled liquid mixture into metal containers and add enough water to cover. Consult local, state & federal hazardous waste regulations before disposing into approved hazardous waste landfills. Obey relevant laws.

Contaminated Materials:

EMPTY REMAINING CONTENTS. DISPOSE AS UNUSED PRODUCT. DO NOT RE-USE EMPTY CONTAINERS. DO NOT BURN, OR USE A CUTTING TORCH ON THE EMPTY CONTAINER.

14. Transport Information

DOMESTIC (DOT) SHIPPING DATA:

DOT PROPER SHIPPING NAME.....WATER THINNED PAINT
DOT HAZARD CLASS.....NON-HAZARDOUS
DOT LABELS REQUIRED.....NON-HAZARDOUS
DOT PLACARDS REQUIRED.....NON-HAZARDOUS
BILL OF LADING DESCRIPTION.....NON-HAZARDOUS
UN/NA CODE.....NOT REGULATED

Environmental Hazards:

CONTAIN ALL SPILLS.

Special Precautions for User:

KEEP ALL CONTAINERS CLOSED.

15. Regulatory Information

U.S. Federal Regulations:

OSHA:

NON-FLAMMABLE, NON-COMBUSTIBLE, MILD SKIN IRRITANT.

CERCLA: SARA Hazard Category:

HEALTH HAZARD

Section 313:

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

N = N.T.P. Carcinogen

I = I.A.R.C. Carcinogen

There are no heavy metals or carcinogen in this coating.

US State Regulations:

NO DATA AVAILABLE

Volatile Organic Compounds:

INFORMATION NOT AVAILABLE.

16. Other Information

Prepared By:

RANDY KONTZ

Information Contact:

RANDY KONTZ

Manufacturer Disclaimer:

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by this company to be accurate.

HEALTH:	1
FLAMMABILITY:	0
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	B

