SAFETY PRODUCTS

		SAFETY E	QUIPMEN	Т		
	NAME	ORDER#	MFG#/SIZE	DESCRIPTION	PACK	WEIGHT
"SAFETY FIRST"	FIRST AID KITS	70550125	25 PERSON	portable units. They are approved by the National Safety Council. The con- tents are: Adhesive Strips & Tape, An	- 1-	3 lbs
25 PERSON FIRST AID KIT	NAME OR FIRST AID KITS 7058 FIRST AID KITS 7058 CHEMICAL SPLASH 7058 CHEMICAL SPLASH 7058 VISITOR 7058 VISITOR 7058 VISITOR 7058 VISITOR 7058 VISITOR 7058 PIELLOW 7058 NUBBER 7058 VELLOW 7058 SUSH BOOTS 7058 SIZES 9-18 7058 POLY COVERALL 7058 DISPOSABLE 7058 DUSPOSABLE 0906 DUSPOSABLE 0906	70550150	50 PERSON	monia Inhalants, Aspirin, Cold Packs Combine Dressing, Cotton, First Aid Cream, Gauze Bandage & Pads, Gloves, Scissors, Triangular Bandage Tweezers, Wound Wipes & Instruction	, 1	5 lbs
	VINYL IMPACT	70551575	CRG	These chemical splash resistant, clear, vinyl goggles have indirect ventilation and elastic straps. ANSI approved.	24	5 lbs
		70551570	VS	ANSI approved, throw-away visitor glasses	144	10 lbs
		70551545	LARGE	Heavy weight, 3 piece rain suit. 35 mil PVC/polyester with detachable hood,	1	2 lbs
		70551546	X-LARGE	adjustable bib pants, cape ventilated back, underarm vents, snap front and	1	2 lbs
	RAIN SUIT	70551547	XX-LARGE	fly, 2 flap pockets, and corduroy col- lar. Available in sizes small to 5x.	1	2 lbs
		70551550	SIZE 9			
		70551551	SIZE 10			
	YELLOW	70551552	SIZE 11		1	6.67 lbs
		70551553	SIZE 12	Highest quality at an affordable price. Fits over shoes for extra protection		
		70551554	SIZE 13	from outside elements.		
		70551555	SIZE 14			
	01220 0-10	70551556	SIZE 15		1	6.67 lb
		70551557	SIZE 16			
		70551558	SIZE 17			
19		70551559	SIZE 18			
¥		70551540	XLCA	100% Polypropylene. Centerline zipper. Fits neck to ankle. Available in large to 4X.	25 suit per cas	
	FIRST AID KITS CHEMICAL SPLASH RESISTANT VINYL IMPACT GOGGLES VISITOR GLASSES FIEAPY WEIGHT YELLOW RUBBER OVER-THE-SHOE SLUSH BOOTS SIZES 9-18	09065308	N810	Designed for use with nontoxic and nuisance dusts only, this mask fea- tures a filtration area for cool, easy breathing and conversation. Polymesh shell, ribbed design, metal noseband Non-rated.	10 x 50)'s 7.3 lbs
200		09090095	RS900- N95	This NIOSH N95 Approved Particulate Respirator Protects the wearer against ultrafine particles. Clear vision and	20PK/10	Cs 8 lbs
0		70560920 WITH EXHALATION VALVE	RS920-EV N95	light weight, it provides a contour fit. 10 per box.	12 boxe per cas	7 105

PLUNGERS & SPONGES

			PLUNGERS				
			NAME	ORDER#	MFG#	PACK	WEIGHT
			6" PLUNGER	22610006	6	24	23.4 lbs.
22610006		27165151	HYDRO BLAST PLUNGER		9	12	10.10 lbs.
	10610520		POWER PLUNGER	10610520	CN520	12	25 lbs.

CELLULOSE SPONGES (NATURAL FIBER)

NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
JUMBO CELLULOSE SPONGE	30830995	995	Individually wrapped. Measures 4 ½" x 7 ½" x 1½". Assorted colors.	36	3 lbs.
CELLULOSE SPONGE (PK4)	30830945	945	Each sponge in the two pack measures 6" x 3 ½" x 1" .	48	2 lbs.
CELLULOSE SPONGE	30830943	943	Each sponge in the four pack measures 4 $\underline{\varkappa}^{\tt u}$ x 3 $\underline{\varkappa}^{\tt u}$ x $\underline{\varkappa}^{\tt u}$.	48	2 lbs.

DRY SOOTMASTER SPONGES



NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
SOOTMASTER® SPONGE	98111236	#60	Used dry, the soft rubber pores of the chemically treated sponge are for the rapid removal of dirt, smoke stains and soot from most surfaces. Measures 2" x 3" x 6".	6	14 lbs.

QUEST UTILITY PADS MADE FROM MELAMINE SPONGES

Contains no chemicals. Use only water. • Especially effective on permanent marker, crayon, ink, graffiti lipstick, scuff marks, fingerprints, luggage marks, tea, soap scum, coffee, and wine stains. Shines chrome, brass, copper, and stainless steel. Eliminates stubborn stains on walls, wallpaper, doors, floorboards, tile, wood flooring, countertops, work surfaces, lockers, signs, dry-erase boards, copy machines, vinyl, glass, plastic trim, leather, hard furniture, outdoor furniture, shower doors, car wheels, stainless cookware, computer monitors and hardware, church pews, sneakers and more.

NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
THE MAGICIAN	52925012	Q 925012	Two layers of melamine surround a yel low durability strip for amazing clean- ing results on nearly any surface! Measures 4.25" x 3" x 1.75". Great for small hand jobs.	30	2 lbs.
THE SCORCERER	52925015	Q 925015	Large size with velcro backing for at- tachment to utility pad holder. Two lay- ers of melamine surrounding a yellow durability strip. Large size makes it suitable for large areas such as walls, wallpaper, floorboards, tile flooring, wood flooring, locker rooms, etc. Ex- cellent for cleaning swimming pools, showers, sports arenas, airports, shopping malls, and more. Measures 10" x 4.75" x 1.75".	12	2 lbs.

SAFETY EQUIPMENT · SPONGES · WIPERS · BULBS · SEASONAL GOODS · SIGNS · PACKAGING · TAPE

SPONGES, PAWS, HAND & UTILITY PADS

				PAWS TRACTION		
	NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
Paws And And And And And And And And And And	PAWS STRAP ON TRACTION SOLES	62513062	13062	Provide additional traction and help prevent slips and falls while stripping or mop- ping floors. Crews work more quickly and with confidence wearing paws. Thin 3/8"sole pad. One size fits all. No Right or Left	1	.35lbs
				SCRUBBER SPONGES	S	

(NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
	STAINLESS STEEL SPONGE BAGGED	75830961 50 Gram	961	An excellent woven commercial stainless steel sponge.	1 doz 6/cs	8 lbs.
		69030960 35 Gram	960		0,00	6 lbs.
	CELLULOSE	30840070	70CHD	Cellulose sponge laminated to	Opt/E (
	SPONGE SCRUBBER	Green 30840071 White	71CHD	green or white scouring pad.	врк∕э √	3.95 lbs.
١.						

HAND PADS

Highly effective for a variety of cleaning operations ranging from the mildest cleaning to removal of rust and corrosion. Pads measure 6" x 9" approximately. All are packed in 6 boxes of 10 per master case except bulk pack.

NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
LIGHT DUTY (WHITE) CLEANING PAD	09561144	NN456	Very Fine Grade provides mild cleaning action for delicate surfaces. Excellent for cleaning sinks, tubs, showers, porcelain bowls, countertops, vinyl, and plastic upholstery. 6" x 9" in size approx.	60	2.7 Ibs.
GENERAL PURPOSE	09561368	NN668	Medium Grade general purpose pad with the greatest utility. Ideal for scour-	60 Boxed	4.2 Ibs.
(GREEN) CLEAN AND SCOUR PAD	09560668 09560696	NN- 52208 NN- 69600	ing pots, pans, broilers and ovens; re- moving rust and corrosion; cleaning persistent arks from walls and base- boards. 6" x 9" in size approx.	60 Bulk 3/20	4.2 Ibs. 4.2 Ibs.
HEAVY DUTY (DARK GREEN) CLEAN AND SCOUR PAD	09561316	NN616	Coarse Grade is ideal for extra tough cleaning jobs. Highly effective for remov- ing excessive grease and burned on foods from pots, pans, ovens, broilers and griddles. Perfect for scouring com- mercial baking and dairy equipment, and the removal of heavy rust and corrosion deposits. Also effective for cleaning and scuffing surfaces prior to painting. 6" x 9" in size approx.		4.8 Ibs.

Don't Forget the Chemicals to Make the Job Easier !!!

FOR COMPLIMENTARY PRODUCTS PLEASE REFER TO: GLOVES AND BULK CHEMICALS

UTILITY PADS, HOLDERS & KITS

UTILITY PADS

Developed and designed for use on maintenance tools. The special construction carries the detergents right to the surface to be cleaned, yet the open texture allows the pads to be easily washed for reuse. Pads measure 4 %" x 10".

	NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT PER CASE
	WHITE UTILITY PAD	09571113	SP 11026	Ideal for light cleaning applications on hard-to-reach surfaces such as base- boards, floor edges, windows, walls, doors, screens and showers.	4 x 5	2 lbs.
Level,	RED UTILITY PAD	09571281	NN 59381	Ideally suited for medium-duty cleaning of hard to reach areas. An excellent general purpose pad.	4 x 5	3.2 Ibs.
	BLUE UTILITY PAD	09571482	NN 59382	Purposely designed for medium-duty cleaning where a more aggressive cleaning action is needed.	4 x 5	4 lbs.
	BLACK UTILITY PAD	09552211	52211	For difficult cleaning applications on floors with wax build-up, heel marks, scuffs, etc. 4 %" x 10" size.	4 x 5	1.85 Ibs.
	HI-PRO UTILITY PAD	09552207	NN 52207	For SEVERELY DIFFICULT floors with wax build-up, rust or stains, etc. 4 %" x 10" size.	4 x 5	1.85 Ibs.

UTILITY PADS HOLDERS & KITS

	UTILITY PAD HOLDER KIT 0957 SWIVEL UTILITY PAD HOLDER 1695 NO VI HAND	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
A A A A A A A A A A A A A A A A A A A		09579411	NN 59411	Kit contains Swivel Utility Pad Holder and one each White and Black utility pads.	4 Kits/ Case	4 lbs.
	UTILITY PAD HOLDER KIT 09 SWIVEL UTILITY PAD HOLDER 16 NC HAND UTILITY PAD 09	09569431 w/ VELCRO	59431	Used with Utility Pad, provides the ideal tool for cleaning baseboards, floor edges, walls, around windows or swimming pools, showers, locker	10	4 lbs.
- Str -		16950881 NO VELCRO		rooms or any place with limited ac- cess. Swivel attachment on the Utility Pad Holder is threaded to accept any standard threaded handle.	1	.25 lbs.
		09569410	NN 59410	Allows even pressure over a larger area. Especially useful when cleaning flat surfaces such as walls, stairs, counter tops or griddles.	10	2 lbs.



ORDERING INSTRUCTIONS CAN BE FOUND ON PAGES 35 & 37. SAFETY EQUIPMENT • SPONGES • WIPERS • BULBS • SEASONAL GOODS • SIGNS • PACKAGING • TAPE

WIPERS

	INDUSTRIAL CLU			/IPERS (NEW & RECL		
	NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
	COLORED KNIT WIPER	77650052	50052	Cleaned and sorted top quality rags.	1	25 lbs.
ASSA	COTTON UNBLEACHED	77650048	50048	Cleaned and sorted top quality rags.	1	25 lbs.
	COTTON BLEACHED WIPER	77650043	50043	Cleaned and sorted top quality rags.	1	25 lbs.
	WASHED SWEAT SHIRT WIPER	77650013	50013	Cleaned and sorted top quality rags.	1	25 lbs.
	BONDED WHITE TERRY CLEAN-UP TOWEL	77650060	BWT25	15" x 26" bonded white terry cloth.	. 1	25 lbs.
	RECLAIMED COTTON T-SHIRT WIPERS	77698011 77698006	10 LB REC 5 LB REC	Cleaned & sorted top quality reclaimed rags.	1 1	10 lbs. 5 lbs.
	3 PACK WHITE TERRY TOWEL	77660023	# 23	100% Cotton 14" X 17". Rolled & banded in an attractive P.O.P. display box.	50	20.5 lbs.
	THE REINFORCER	77110150	KNIT-1	Strong woven cotton fiber. Washable for repeated usage. Almost lint-free		5.8 lbs.
. 3	KITCHEN TOWEL WIPER	77650068	W68KT	Multi purpose cotton wiper.	1	25 lbs.
	TERRY TOWEL WIPER	77660680	W68	Quality terry wiper	1	25 lbs.

NDUSTRIAL CLOTH OR WOVEN WIPERS (NEW & RECLAIMED)

JUST LIKE ANY TOOL.... MAKE SURE YOU HAVE THE RIGHT WIPER FOR THE JOB.



WIPERS

<u> </u>	<u>WIPE™- SUP</u>	ERCH	IARG	ED <u>DISP</u>	OSABLE WIPER	RS		
NAME	ORDER# N	/IFG#	SIZE	DES	SCRIPTION	PACK	,	WT/CS
CENTERP MEDIUM BLUE DF WIPERS	M 24320240 20	2-40 9)" x 15"	perior absorp pose towel. L glazing, paint	C engineered wiper offers su- tion qualities as a general pur- ends itself to polishing, prep, and solvent based ough for hands & face.	4 /440 t boxes/ca		20 lbs.
CENTERP HEAVY BL DRC WIPE	.UE 24340441 40	4-41 9)" x 15"	superior abso for an array o polishing, gla	DRC engineered wiper offers rption & increased durability f wiping tasks. Lends itself to zing, paint prep, and solvent Soft enough for hands & face.	4 /220 1 boxes/ca		18 lbs.
PREMIU AIRLAID WIPER TOWEL	D 24501217 50	0-12 1:	2" x 17"	els are single linen and silk newest techn als, These 6 fi are for the fin	nium White Airlaid Guest Tow- use guest towels of the finest alternative. By utilizing the ologies in non-woven materi- old superior disposable towels est dining environments regu- to the disposable market.	4 /220 1 boxes/ca		I8 lbs.
WALL MOU DISPENS		0-10	White	these wall mo	all Everwipe dispenser boxes. unts provide a convenient, sing station for these "Super- ers.	1/box		5 lbs.
MICRO	FIBER WIPES							
	NAME	0	RDER#	MFG#	DESCRIPTION		PACK	K W
	DUST MITT MICROFIBER		20002 20003	BLUE SML BLUE LG	Laundered Hundreds of Times Excellent for hard to reach are up to 7 times their own weight	as. Holds	12 12	1 lb. 1 lb.
	LARGE	776	60057	BLUE			12	1 lb.
E A	MICROFIBER	776	60049	GREEN	MicroFiber Fabric superior act can be used wet or dry to make		12	1 lb.
	CLEANING	776	60058	RED	cleaning job easier. Ideal for us types of surfaces. 16"x16".		12	1 lb.
and the second s	CLOTHS	776	60059	YELLOW	types of surfaces. To XTO .		12	1 lb.
	SUEDE MICROFIBER CLOTH	1 779	15103	M915103	Best MicroFiber cloth for clear surfaces. 16"x16" Blue.	ning glass	12	1 lb.
		7766	6 5104 №	1915104G	NA (60		12	1.76 lb
	MICRO WAFF	GR L E 7766		1915104W	Waffle weave microfibers are g ing without streaking. Very sof tremely absorbent while being	t and ex-	12 1	1.76 lb
	WIPER	₩⊦ 7766	HITE	1915104B	Perfect for the kitchen, drying biles, boats, and motorcycles.	automo-		1.76 lb
	MICRO BAR	GRN	STRIPE	M915180FG M915180GL	Great absorbency, the supren 20% more absorbency than the cotton towel. In independent is supreme towel demonstrates	he standard tests the		1.54 1.54
	TOWEL	GOLI 779	D STRIPE	/915180RB	supreme towel holds its color strength over a longer period sulting in a superior appearan staff and guest.	the and tensile of time re-		1.54
	COMPACT/ PORTABLE WASHING MACHINE	180	03049	LCK-50	Capacity 6.6 lb (3 kg). Space s compact design allows it to be most anywhere you may need weight Only 25.5 lb (11.6 kg). Easy to move from one place . Durable Rustproof polyprop net for longer life. Automatic tir time up to15 minutes. Easy to trols. Reversible action impelle level indicator. Wide washtub of	e stored al- l it. Light- Portable to another ylene cabi- ner Wash use con- ır. Water	13	80.80 II

SAFETY EQUIPMENT · SPONGES · WIPERS · BULBS · SEASONAL GOODS · SIGNS · PACKAGING · TAPE

55

WIPERS & BULBS

MERCANTILE DEVELOPMENT, INC.-PRO SERIES® DISPOSABLE WIPERS

	NAME	ORDER#	MFG#	SIZE	DESCRIPTION	PACK	WT/CS
	"THE STITCH" HEAVYWEIGHT BULK TOWEL	77691121	91121	13" x 18"	'THE STICH'is: Generously sized, Strong like a cotton t-shirt, Machine washable for repeat use, Virtually lint-free, Reinforced stitching for brute strength, Wipes super dry, & Resists solvents.	150 /box	6 lbs.
	"CHAMPION" BONDED CELLULOSE WIPES	77688001	88001	11" x 13"	Considered the all-purpose wipe, bonded cellulose fiber wipes are designed to ab- sorb oils, grease, paints and ink. Eco- nomical, bulky and soft, these wipes continue to be the most popular wipe sold in the marketplace. White.	1/4 fold poly bag - 800 per cs.	14.5 Ibs.
	YELLOW	24301224 77650050		12" x 24" 12" x 17"	Classic yellow treated dusters, made from carded rayon fibers, are treated with min-	500 / cs. 500 / cs.	12.9 lbs. 8 lbs.
	TREATED DUST CLOTHS	77650400		17" x 24"	eral oil to attract and retain dust. Perfect for cleaning floors walls ceilings and	500 /cs.	10.6 lbs.
		77679110		17 x 24 24" x 24"	furniture. Case packed 10 packs of 50.	500 /cs.	13.6 lbs.
	"CLASSIC" PINK HANDYWIPES	77678129	78129	12" x 24"	Rinse & reuse. Ideal for wiping spills & bussing tables. Made of apertured rayon. 1/4 fold. 200 count dispenser box.	1/8 fold dispenser 200 / box.	3.6 lbs.
	FOOD SERVICE HANDY WIPER VARIOUS COLORS BULK	77678305	7830	5	All purpose wet wipes, Light- weight, rinse clean wipes for limited use. Comes in bulk 18 lbs case.	N/A	18 lbs.
HAR STATE	"SUPER RAG" LINT FREE SOLVENT RESISTANT	77695102 BLUE 77693102 WHITE	MD 95102 MD 93102	13" x 16"	Super Rag is manufactured from Dupont Sontara. Sontara is an entangled fiber making it excellent for solvent resistance, high absorbancy, and wet/dry strength. Entangled fiber can absorb large amount of water and soak up oil.	250 /box	9 lbs.
The CHAMP CHAMP CHAMP	THE "CHAMP" 'ONE WIPE' CENTER PULL DISPENSER BOX	77686884	MD 86884	9" x 12"	These professional grade towels are tough and durable. White 'DRC' Cellu- lose. 225- 9" x 12" towels per dispenser box.	4 boxes /master case	18 lbs.

UNGER RESTROOM INSPECTION KITS

NAME

WATT

WATT

WATT

REGULAR

40

60

75

4 ft.



NAME	ORDER#	SIZE	PACK	WТ)
UNGER					
RESTROOM INSPECTION	98761476	IKITR	1	.3 lbs.	
KIT					

INCANDESCENT AND FLOURESCENT BULBS

MFG#

40 IMP

60 IMP

75 IMP

F40 CW/ES

PACK

60

60

60

30

WT

7 lbs.

7 lbs.

7 lbs.

23 lbs.

ORDER#

87624140

87624160

87624175

03620424

VIRIBRIGHT LED BULBS



ORDER# 18873098

5 Watt ViriBright[™] LED Light Bulb -Warm White - 120V

Consumes up to 85% less energy, Omni-Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced CRI.

MFG# 73098

PACK

WT

Product Specifications & Details

- Brand: ViriBright
- Color: Warm White
- Color (Kelvin) Temperature: 2800
- Wattage: 5 Watt
- Standard Beam Angle : 270 Degrees
- Lumens: 300
- BASE: E26

20

7.5 lbs.

lbs.

- Compare To: 25 Watt Incandescent
- Length: 4.4 inches
- Diameter: 2.5 inches
- Volts: 120V AC
- Shatter proof
- Non-Dimmable
- UL Listed

3 YEAR WARRANTY

ORDER#	MFG# 73421	PACK 20	WT 7.71 lbs.
18873421 8 Watt ViriBright™ LED Light Bulb - Day Light - 120V	 Product Specifications & Details Brand: ViriBright Color: Day light Color (Kelvin) Temperature: 6000 Wattage: 8 Watt Standard Beam Angle : 270 Degrees 	 Compare To: 40 Watt In Length: 4.4 inches Diameter: 2.5 inches Volts: 120V AC 	
Consumes up to 85% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced CRI.	• Lumens: 600 • BASE: E26 3 YEAR WARRANT	• Dimmable 10%-100% • UL Listed	
ORDER#	MFG#	PACK	WT



18873422 8 Watt ViriBright™ LED Light Bulb -Warm White - 120V

Consumes up to 85% less energy, Omni-Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced CRI.

cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced

CRI.

3 YEAR W	ARRANTY	
MFG#	PACK	W 1
73422	20	7.71

Product Specifications & Details

- Brand: ViriBright
- Color: Warm White
- Color (Kelvin) Temperature: 2800
- Wattage: 8 Watt
- Standard Beam Angle : 270 Degrees
- Lumens: 500
- BASE: E26

3 YEAR WARRANTY

ORDER# 18873547	MFG# 73547	PACK 20	WT 10.14 lbs
10 Watt ViriBright [™] LED Light Bulb - Warm White - 120V Consumes up to 85% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced	Product Specifications & Details • Brand: ViriBright™ • Color: Warm White • Color (Kelvin) Temperature: 2800 • Wattage: 10 Watt • Standard Beam Angle : 270 Degrees • Lumens: 820 • BASE: E26	 Compare To: 60W In Length: 4.8 inches Diameter: 2.6 inches Volts: 120V AC Shatter proof Dimmable UL Listed 	
CRI.	3 YEAR WARRANT	Y	
ORDER#	MFG#	PACK	WT
18873549	73549	20	10.14 lbs
10 Watt ViriBright™ LED Light Bulb - Day Light - 120V	 Product Specifications & Details Brand: ViriBright[™] Color: Day Light Color (Kelvin) Temperature: 6000 Wattage: 10 Watt 	 Compare To: 60W In Length: 4.8 inches Diameter: 2.6 inches Volts: 120V AC 	
Consumes up to 85% less energy, Omni- Directional, can last over 25,000 hours,	 Standard Beam Angle : 270 Degrees Lumens: 900 BASE: E26 	 Shatter proof Dimmable UL Listed 	

3 YEAR WARRANTY

• Length: 4.4 inches

• Volts: 120V AC

Shatter proof

• Dimmable

UL Listed

• Diameter: 2.5 inches

• Compare To: 40 Watt Incandescent

VIRIBRIGHT LED BULBS

Day Light - 120V

Indoor

Consumes up to 85% less energy, Omni-

Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced

ORDER#

18873495

LED Light Bulb -

Cool White - 120V

Indoor

Consumes up to 85% less energy, Omni-

Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced

CRI.

CRL

CBL

ORDER# PACK 73665 20 18873665 **Product Specifications & Details** 10 Watt ViriBright™ • Brand: ViriBright™ LED Light Bulb - Color: Cool White • Length: 4.72 inches Color (Kelvin) Temperature: 4000K • Diameter: 3.7 inches Cool White - 120V • Volts: 120V AC • Wattage: 10 Watt Indoor • Standard Beam Angle : 90 Degrees Shatter proof Consumes up to 85% less energy, Omni-• Lumens: 900 • Dimmable • BASE: E26 UL Listed Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced **3 YEAR WARRANTY** CRL **ORDER#** MFG# PACK 73666 20 18873666 **Product Specifications & Details** 10 Watt ViriBright[™] Brand: ViriBright[™] • Compare To: up to 75W LED Light Bulb - Color: Day Light • Length: 4.72 inches • Diameter: 3.7 inches

- Color (Kelvin) Temperature: 6000K
- Wattage: 10 Watt
- Standard Beam Angle : 90 Degrees
- Lumens: 900
- BASE: E26

3 YEAR WARRANTY

MFG# PACK 73495 12 **Product Specifications & Details** 18 Watt ViriBright[™]

- Brand: ViriBright
- Color: Cool White
- Color (Kelvin) Temperature: 4000K
- Wattage: 18 Watt
- Standard Beam Angle : 90 Degrees
- Lumens: 1400
- BASE: E26 Base

3 YEAR WARRANTY

ORDER#	MFG#	PACK	wт
18873493	73493	12	17.2 lbs
18 Watt ViriBright™ LED Light Bulb - Day Light - 120V Indoor Consumes up to 85% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced	Product Specifications & Details • Brand: ViriBright • Color: Day Light • Color (Kelvin) Temperature: 6000K • Wattage: 18 Watt • Standard Beam Angle : 90 Degrees • Lumens: 1400 • BASE: E26 Base 3 YEAR WARBANT	DimmableUL Listed	
CRI.			
ORDER#	MFG#	PACK	WT
18873534	73534	12	17.2 lbs
18 Watt ViriBright™ LED Light Bulb - Day Light - 120V Outside Consumes up to 85% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL	 Product Specifications & Details Brand: ViriBright Color: Day Light Color (Kelvin) Temperature: 6000K Wattage: 18 Watt Standard Beam Angle : 90 Degrees Dimmable BASE: E26 Base 	 Compare To: 90W+ Ha Length: 5.3 inches Diameter: 4.7 inches Volts: 110/120V AC Shatter proof UL Listed 	alogen
listed, shatterproof design, Red enhanced	OUTSIDE USE ONLY	3 YEAR WARRANTY	

MFG#

19.7 lbs.

wт

WT 19.7 lbs.

WT

17.2 lbs.

- Compare To: up to 75W

• Volts: 120V AC

Compare To: 75W

• Length: 5.3 inches

• Diameter: 4.7 inches

• Volts: 110/120V AC

Shatter proof

• Dimmable

• UL Listed

Shatter proof

• Dimmable

• UL Listed

·····				
SAFETY EQUIPMENT	• SPONGES • WIPERS	S · BULBS · SEASONA	AL•GOODS · SIGNS ·	PACKAGING · TAPE

VIR	IBRIGHT LED BULBS			
	ORDER#	MFG#	PACK	wт
	18873442	73442	12	14.8 lbs.
	4ft T8 ViriBright™	Product Specifications & Details		
C. Dorotanita in	LED Light Bulb -	Brand: ViriBright	• Compare To: 45W T8 f	luorescent
A CONTRACTOR	÷.	Color: Day Light	 Length: 48 inches 	
	Day Light - 120V	Color (Kelvin) Temperature: 6000K	Diameter: 1.12inches	
	DUAL END	Wattage: 20 WattStandard Beam Angle : 140 Degrees	 Volts: 85-285V AC Shatter proof 	
	No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED	Bi-Pin G13 Base	UL Listed	
	light bulb fits existing fixtures. This LED out-		Non-Dimmable	
	puts 1500 Lumens of 6000 Kelvin white	• Dual Ended	 E2 retro fit 	
	light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick-	3 YEAR WARRANT	V	
	ered. 50,000 hour life span at 70% Lumens	5 TEAN WANNANT		
	ORDER#	MFG#	PACK	WТ
	18873444	73444	12	14.8 lbs
	dft T8 ViriBright™		12	11.0100
A Second Second	e e	 Product Specifications & Details Brand: ViriBright 	• Compare To: 45W T8 f	luorescent
-	LED Light Bulb -	Color: Cool White	Length: 48 inches	luorescerit
	Cool White - 120V	Color (Kelvin) Temperature:4000K	Diameter: 1.12inches	
	DUAL END	Wattage: 20 Watt	 Volts: 85-285V AC 	
	No hum, buzz or mercury. This 4 Foot ViriB-	Standard Beam Angle : 140 Degrees Dip Dip O10 Daga		
	right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out-	Bi-Pin G13 Base	 UL Listed Non-Dimmable 	
	puts 1500 Lumens of 4000 Kelvin white light,		E2 retro fit	
	uses half the energy and lasts 5 times as			
	long as a fluorescent. UL listed and stick- ered. 50,000 hour life span at 70% Lumens	3 YEAR WARRANT	Y	•••••
	ORDER#	MFG#	PACK	WT
	18873468	73468	12	14.8 lbs.
	4ft T8 ViriBright™	Product Specifications & Details		
	LED Links Dulk		• Compare To: 45W T8 f	luorescent
errer and	LED Light Bulb -	Brand: ViriBrightColor: Cool White	 Compare To: 45W T8 f Length: 48 inches 	luorescent
Harris	LED Light Bulb - Cool White - 120V	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K 	 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches 	luorescent
	Cool White - 120V SINGLE END	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC 	luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB-	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof 	luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This I ED out-	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed 	luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light,	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof 	luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick-	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb -	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb -	 Brand: ViriBright Color: Cool White Color (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color: Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color: Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBrightTM LED Light Bulb - Bulb Light Bulb - Sunge End Sunge End No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span.	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	WT 14.8 lbs
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBrightTM LED Light Bulb - Warm White - 120V SINGLE DN Notim, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span.	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit 	WT 14.8 lbs luorescent
	Cool White - 120V SINGLE END No hum, buzz or meruy. This 4 Foot ViriB- fight bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- existed and stick- existed and stick- solodo hour life span. 70% lumens ORDER# 18873467 Ath Ta ViriBright Bulb - Bugt Bulb fits existing fixtures. This LED Light Bulb fits Marm White - 120V SIGLE DT 8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span.	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	WT 14.8 lbs luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBrightTM LED Light Bulb - Warm White - 120V SINGLE DN Notim, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span.	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	WT 14.8 lbs luorescent
	Cool White - 120V SINGLE END No hum, buzz or meruy. This 4 Foot ViriB- fight bulb fits existing fixtures. This LED out- puts 1500 Lumens of 4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- existed and stick- existed and stick- solodo hour life span. 70% lumens ORDER# 18873467 Ath Ta ViriBright Bulb - Bugt Bulb fits existing fixtures. This LED Light Bulb fits Marm White - 120V SIGLE DT 8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span.	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	WT 14.8 lbs. luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stick- ered. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span. ORDER# 18873556 Aft T8 ViriBright™ LED Light Bulb -	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	WT 14.8 lbs. luorescent
	Cool White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriB- right LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- puts 1500 Lumens of4000 Kelvin white light, uses half the energy and lasts 5 times as lored. 50,000 hour life span. 70% lumens ORDER# 18873467 Aft T8 ViriBright™ LED Light Bulb - Warm White - 120V SINGLE END No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED outputs 1200 Lumens of 2800 Kelvin white light, uses half the energy and lasts 5 and stickered. 50,000 hour life span. ORDER# 18873556 Aft T8 ViriBrightTM LED Light Bulb - Tube Fixture	 Brand: ViriBright Color: Cool White Color: (Kelvin) Temperature: 4000K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1500 Singlel Ended 3 YEAR WARRANT MFG# 73467 Product Specifications & Details Brand: ViriBright Color: Warm White Color (Kelvin) Temperature: 2800K Wattage: 20 Watt Standard Beam Angle : 140 Degrees Bi-Pin G13 Base Lumens: 1200 Singlel Ended 3 YEAR WARRANT 	 Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y PACK 12 Compare To: 45W T8 f Length: 48 inches Diameter: 1.12inches Volts: 85-285V AC Shatter proof UL Listed Non-Dimmable E2 retro fit Y 	WT 14.8 lbs. luorescent WT 5 lbs.

No Ballast needed for all T8 bulbs. We recommend Having the ballast removed by a certified electrician.

	ORDER# 18873629	MFG# 73629	PACK 12	WT 13.1 lbs
A the state of the	7.5 Watt ViriBright [™] LED PLC Lamp - Warm White - 120V Consumes up to 40% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced CRI.	Product Specifications & Details • Brand: ViriBright • Color: Warm White • Color (Kelvin) Temperature: 2800K • Wattage: 7.5 Watt • Standard Beam Angle : 90 Degrees • Lumens: 600 • BASE: G24 D-2P	 Compare To: 13W CFL Length: 6 inches Diameter: 1.56 inches Volts: 110/120V AC Shatter proof Non Dimmable UL Listed 	PLC Lam
	ORDER# 18873630	MFG# 73630	PACK 12	WT 13.1 lbs
A train to train a data in the	7.5 Watt ViriBright™ LED PLC Lamp - Day Light - 120V Consumes up to 40% less energy, Omni- Directional, can last over 25,000 hours, cool to touch, contains no mercury, UL listed, shatterproof design, Red enhanced CRI.	Product Specifications & Details • Brand: ViriBright • Color: Day Light • Color (Kelvin) Temperature: 4000K • Wattage: 7.5 Watt • Standard Beam Angle : 90 Degrees • Lumens: 700 • BASE: G24 D-2P	 Compare To: 13W CFL Length: 6 inches Diameter: 1.56 inches Volts: 110/120V AC Shatter proof Non Dimmable UL Listed 	
	ORDER# 18873436	MFG# 73436	PACK 12	WT 8.8 lbs.
	2ft T8 ViriBright™	Product Specifications & Details		
COLUMN TO STREET	LED Light Bulb -	Brand: ViriBright	Compare To: 45W T8 fl	uorescent
	Day Light - 120V	Color: Day LightColor (Kelvin) Temperature: 6000K	 Length: 48 inches Diameter: 1.12inches 	
	DUAL END (with safety switch)	Wattage: 10 Watt	 Volts: 85-285V AC 	
	No hum, buzz or mercury. This 4 Foot ViriB-			

puts 760 Lumens of 6000 Kelvin white light, • Dual Ended uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span at 70% Lumens

ORDER#

18873438 2ft T8 ViriBright™ LED Light Bulb -Cool White - 120V

THE REAL

DUAL END (with safety switch) No hum, buzz or mercury. This 4 Foot ViriBright LED T8 fluorescent replacement LED light bulb fits existing fixtures. This LED out- • Lumens: 700 puts 700 Lumens of 4000 Kelvin white light, • Dual Ended uses half the energy and lasts 5 times as long as a fluorescent. UL listed and stickered. 50,000 hour life span at 70% Lumens

- **Product Specifications & Details** Brand: ViriBright · Color: Cool White


MFG#

73438

- Color (Kelvin) Temperature:4000K • Diameter: 1.12inches • Volts: 85-285V AC Wattage: 10 Watt Standard Beam Angle : 140 Degrees
 Shatter proof Bi-Pin G13 Base • UL Listed Non-Dimmable • E2 retro fit

Other LED light products are also available via special order. If there is a specific type you are looking for just ask us about it.





WT

8.8 lbs.

• Compare To: 45W T8 fluorescent

· Length: 48 inches

• E2 retro fit

PACK

12

3 YEAR WARRANTY

SAFETY EQUIPMENT · SPONGES · WIPERS · BULBS · SEASONAL GOODS · SIGNS · PACKAGING · TAPE

FLASH LIGHTS & BATTERIES

ENERGIZER FLA	ASH LIGHTS					
Energizer. Energizer	NAME	MFG#	ORDER#	DESCRIPTION	PACK	WT
	HARDCASE PRO LED	TUF4AAPE	53122783	Serious professionals need seri- ous lighting. On site or in the field, our Energizer® Hard Case® Pro- fessional® line of products offer	6	7.5 lbs.
53118540	HARDCASE PRO LED	TUF2AAPE	53118540	the rugged dependability of the original Energizer® Hard Case® combined with innovative LED technology.TAKES AA BATTERIES	6	3.7 lbs.
	ULTIMATE	ELMCL11L		Survival in extreme temperatures, weather conditions and terrains requires dependable lighting. En- ergizer® Ultimate lights are de- signed and built to meet the demands and needs of enthusi- asts of extreme outdoor activities. TAKES AA BATTERIES	4	1.4 lbs.
53143764	INDUSTRIAL	E250Y	53102440	TAKES 2 D BATTERIES	12	2.5 lbs.
Energizer Energizer 53154678	HEADLIGHT	HD33A1EN	53154678	2 lighting modes: 2 bright white Nichia LED's deliver ~ 28 lumens with 50 hour run time 1 bright red night vision LED with 150 hour run time Pivoting head On/off slide switch Adjustable elastic headband Packed with 3AAA long lasting Energizer® MAX® alkaline batteries Model: HD33A1EN TAKES AAA BATTERIES	6	2.10 lbs.

			BATTE	RIES	
	NAME	ORDER#	SIZE	PACK	wт
		53100022	9V	6/12	7.65 lbs.
		53100091	AA	6/24	8.95 lbs.
	ENERGIZER BATTERIES	53100092	AAA	6/24	4.27 lbs.
	DATIENEO	53100093	С	6/12	11.76 lbs.
The second second		53100095	D	6/12	24.3 lbs.





SEASONAL GOODS

		ICE MELT				
ICE MEETING IN FLAKES		NAME	SIZE		ORDER# PAC	K/SKID
Y STREET	THE	GLACIER MELT®	50 lb.	POLY BAG	42414550	49
	CALCALL.	MAGNESIUM CHLORIDE	50 lb.	POLY BAG	77601050	40
			50 lb.	POLY BAG	12906050	50
Traction		CALCIUM CHLORIDE	100 lb.	DRUM	12905100	24
		CNW CALCIUM	50 lb.	POLY BAG	30207750	50
ICE & SNOW MELTER	and a second	SWI TRACTION MELT	50 lb.	POLY BAG	12900403	49
- number of		SWI INDUSTRIAL				
	SWI	STRENGTH	50 lb.	POLY BAG	12900450	49
Green Melt	STRENGTH ICE MELT	ICE MELT				
		CAL CLORD	50 lb.	POLY BAG	30206050	49
and the second sec	MENTS LET & SACON DOWNYD -1579 4 GELCHINK CEELOSIDO SLENTS ACCUMENT CEELOSIDO SLENTS	GREEN MELT	50 lb.	POLY BAG	42413113	49

Due to fluctuations in the marketplace, various ice melting products may also be available during the season. Please contact us for the variety available today.

SNOW BRU	JSHES				
NAME	ORDER#	MFG#	DESCRIPTION	PK	WT
SNOW BRUSH W/SCRAPER	39690576	450	This 17" snow brush & scraper is made of sturdy plastic.	24	4 lbs.

ICE MELT SPREADER

\square	1	NAME	ORDER#	MFG#	DESCRIPTION	PK	WT
4500	SB6000RD	BROADCAST SPREADER	16014500 16016000	4500 SB- 6000RD	This 100 lb. Capacity broadcast spreader has 10" pneumatic wheels, a heavy-duty poly hopper a metal control box and metal gears. It spreads in a 10' -12' pattern which is easily controlled with the large fingertip control. Foam handle grip.	1	29 lbs. 45 lbs.

48" REFLECTIVE PROPERTY MARKING SNOW REMOVAL POLES



ORDER#	COLOR	MFG#	DESCRIPTION	PK	wт
54248664	Yellow	664	These 48" highly-reflective markers help identify property lines so plows and equipment	36	10 lbs.
54248665	Orange	665	do not damage lawns & landscaping.	36	10 lbs.

162

If You Don't See What You Are Looking For... JUST ASK US!

SAFETY EQUIPMENT · SPONGES · WIPERS · BULBS · SEASONAL GOODS · SIGNS · PACKAGING · TAPE

SEASONAL GOODS

SNOW SHOVELS, SNOW PUSHERS & ICE CHOPPERS

NAME ORDER# MFG# DESCRIPTION ITT" PLASTIC SNOW SHOVEL 53051171 1171 17-1/8" 13-1/4" blade with a durable metal edge to increase cutting power and tool life. ITT" PLASTIC SNOW SHOVEL 53051171 1171 1171 ITT" PLASTIC SNOW SHOVEL 18" PLASTIC 1171 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. ITT PLASTIC SNOW SHOVEL 18" PLASTIC 1181 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. Sturdy wooden handle. ITT PLASTIC SNOW SHOVEL 53051181 1181 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. Sturdy wooden handle. ITT PLASTIC SNOW SHOVEL 18" POLY 1407 1400 <th>РК 6 6</th> <th>WT 15 lbs 15 lbs</th>	РК 6 6	WT 15 lbs 15 lbs
Shovels SNOW SHOVEL 53051171 1171 17-1/8" 13-1/4" blade with a durable metal edge to increase cutting power and tool life. WITH METAL EDGE (WOOD HANDLE) 18" PLASTIC 53051171 1171 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. 18" PLASTIC SNOW SHOVEL 53051181 1181 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. WITH METAL EDGE (WOOD HANDLE) 53051181 1181 18" 13-1/2" blade with a durable metal edge to increase cutting power and tool life. Sturdy wooden handle.	6	
SNOW SHOVEL WITH METAL EDGE (WOOD HANDLE) 53051181 1181 181 181 181 181 181 181 181 1		15 lbs
	6	
18" POLY 1197 SNOW DOZER™ 53051197 (WOOD HANDLE) 53051197		19.5 lb:
21" POLY SNOW PUSHER 53051201 W/ D-Grip The 8-rib design and reinforced bottom edge add extra strength for moving mountains of snow.	6	21 lbs
21" POLY SNOW PUSHER (WOOD HANDLE) 1210 no D-Grip The 8-rib design and reinforced bottom edge add extra strength for moving mountains of snow.	6	19 lbs
18" POLY DOZER WITH ERGONOMIC 53051177 STEEL HANDLEProvides less stress on the heart and back than ordinary shovels. Unique "S-bend" handle, reduces the amount of bending and lifting needed to shovel snow.	6	20.5 lb:
18" PLASTIC SNOW SHOVEL (WOOD HANDLE)The economical, light weight shovel has a 48" handle and a 18" x 14" poly blade.	6	14 lbs
18" ALUMINUM 3105 The economical, light weight SNOW SHOVEL 34603105 w/ Shovel has a 48" handle and a (WOOD HANDLE) D-Grip 18" x 14" aluminum blade.	6	16.5 lb:
18" STEEL3009The economical, light weightSNOW SHOVEL34603009W/boold have a 48" handle and a(WOOD HANDLE)D-Grip18" x 14" steel blade.	6	23 lbs
18" STEEL SNOW SHOVEL w/ERGONOMIC HANDLE 34603010 W/ D-Grip 3010 W/ D-Grip The economical, light weight shovel has an ergonomic handle and a 18" x 14" steel blade.	6	26 lbs
48" HEAVY- DUTY STEEL ICE CHOPPER 67581103 SC20 The economical ice chopper has a 48" x 1-1/8" shaped ash hard wood handle and a 7" steel blade.	6	12 lbs
54" HEAVY- DUTY STEEL ICE CHOPPER530512061206Heavy duty ice chopper has a 54" hard wood handle and a 7- 1/4" x 5" blade.	6	14 lbs
SEASONAL ITEMS ARE SUBJECT TO CHANGE FROM CATALOG SPEC	cs	

SIGNS

		FLC	OOR SIGN	S AND CO	ONES		
		NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
CAUTION WET FLOOR CUIDADO	FOLDING WET FLOOR CAUTION SIGN (TRILINGUAL) FOLDING CLOSED SIGN	10440119 10441119	CN- 119 CN- 119C	26" A-Frame style floor safety sign is Excellent for use in narrow areas and are offered in bright "safety" yellow to draw attention. Feature two message centers on each side. A multilingual "Attention" message appears in Eng- lish, French, Spanish and German. Signs feature a folding design for con- venient storage or transport, built-in chain connection hooks which allow signs to be linked together to form a barrier, and a large handle area for easy transport of multiple signs.	6	12 lbs.	
	Radory - mg	18" DELUXE WET FLOOR CONE	10441250	CN- 125	Heavy-duty cone molded of super-bright, unbreakable orange vinyl, permanently imprinted in blue with weighted tip-proof rubber base.	6	18.5 lbs.
	+	CAUTION YELLOW QUAD-CONE	10441210 26"	CN- 221 YW	Available in 26" or 35" high with univer- sal caution symbol on all four sides. Accommodates lock-on warning signs (S222-1RD), a ring weight (W222BK fits		9.25 lbs.
		SAFETY SIGNS	10441220 35"	CN- 222 YW	222YW only), barrier chain (C123-2YW) and common barrier tape for cordoning off an area.	3	14.5 lbs.
	11 12 12 12 12 12 12 12 12 12 12 12 12 1	BARRIER CHAIN	10441232	CN- 123- 2YW	Plastic barrier chain easily locks in Continental's exclusive keyhole design accessory port.	3	3.24 lbs.
	LOCK ON WARNING SIGN FOR QUAD-CONES	10441221	CN- S122-1 RD	Large square with imprint on both sides. Snap fits on on 221YW & 222YW Quad-Cones. Adds 9" visibility.	2	2.5 lbs.	
	CLUTION	37" EASEL-TYPE "CAUTION") SIGN	10440120	CN- 120	The new 37" high, easel-type floor sign with tow-sided, multilingual message. Accepts barrier chain and common Barrier tape for connecting multiple signs and cordoning off an area.	6	20.88
	CUIDADO PISO MOJADO	WET FLOOR SIGN YELLOW	23513742	AF03742	This unique and patented design uti- lizes separate multilingual message centers built into a single sign, simply flip to the appropriate message center. Messages are imprinted in red and black for increased visibility and are in English & Spanish.	6	20.88



PACKAGING MATERIALS

INTERAP MACHINE PALLET STRETCH WRAP FILM

Interap "EC' Series is a three-layer, cast, coextruded, linear low density polyethylene clear stretch film. It is recommended for use on conventional machinery that requires stretch up to 150%.



HAND STRETCH WRAP FILM

SIZE	ROLL ORDER# WIDTH	MFG#	DESCRIPTION	ROLLS/ CASE	ROLL WEIGHT
70 GAUGE*	18" 62207018	7018	This high tensile strength and elon- gation film has excellent puncture and tear resistance. It has excellent cling and will perform consistently at higher stretch levels resulting in excellent cost/ performance value. Runs on all standard hand wrap machines. PACKED: 4 Rolls per carton. All rolls have a 3" core.	4	32 lbs.

NIFTY® PRODUCTS "SQUEEZE IT"									
	SIZE	ROLL WIDTH	ORDER#	MFG#	DESCRIPTION	ROLLS/ CASE	ROLL WEIGHT		
O	QUEEZE IT® NE-HANDED RETCH WRAP	5" x 1000' rolls	27145152	ST-51	One-handed stretch wrap with the Patented "Squeeze-it® Dispenser on every roll. This unique stretchy cohesive tape re- places regular tape by yeilding the equiva- lent of 17 rolls of tape from one roll of Almost Tape. It doesn't have the damag- ing sticky adhesive that regular tape has because it sticks to itself not your object. Spins freely in your hand and cuts off with just a squeeze.	10.1	16 lbs.		

		CHASE	CHAMPI	ON PRC	DUCTS		
		NAME	ORDER#	MFG#	DESCRIPTION	PACK	WEIGHT
	CHASE CHAMPION® MULTI-PURPOSE WEB ADHESIVE	04665163	CH- 5163	Multi-Purpose web adhesive is a clear, web spray adhesive that forms a flexible bond between like and unlike surfaces with minimal overspray. Fast tack with lit- tle soak-in or transfer to surfaces. Contact adhesive effective to 32°F. VOC compliant in all states. Can Size: 10.5 oz.		10.75 lbs.	
	CHASE CHAMPION® "DUST BUSTER" AEROSOL DUSTING SPRAY	04665122	CH- 5122	Dust Buster aerosol dusting spray is an inert gas that removes dust, lint, metallic oxide deposits, microscopic contaminants and other soils. Non-abrasive. Odorless. Moisture-free. No harmful solvents. Leaves no residue. A polyethylene exten- sion tube is included with each can for spraying hard-to-reach places. Can Size: 10 oz.	12	10.75 lbs.	

165