

# Facility Maintenance



## Smarter Cleaning

Rubbermaid Commercial Products offer best-in-class cleaning systems and solutions. Their innovative cleaning carts are attractive, functional, stylish, durable and highly flexible to fit perfectly into any environment. Rubbermaid cleaning carts feature superior tool organization and storage options in a compact footprint. Whether you are cleaning for healthcare, janitorial, hospitality or any other industry segment, you can choose from a wide array of accessories to create an efficient cleaning system to match your specific needs.





# Facility Maintenance

*Housekeeping &  
Janitorial Supply*

*Facility Maintenance*

*Packaging Supplies*

*Tool Supply*

*Floor Squeegees  
& Washers*

*Squeegees &  
Washers*

*Window Squeegees  
& Washers*



## Service Carts



A



B



C



## CLEANING CARTS

Compact footprint only 22 in. wide for easy mobility inside tight spaces. Superior tool organization: innovative rubber tool grips hold mop and broom handles at any position (up to 1½ in. dia.) and includes holders for lobby dust pan and commercial upright vacuum. Comfort grip cart handle provides easy maneuverability. 8 in. wheels and 4 in. quiet casters are ideal for noise sensitive environments. Nonrusting, easy to clean aluminum and structural web plastic construction. Black.

**A. High-Security Cleaning Cart**

Designed to work with Rubbermaid® microfiber cleaning accessories. Dual access, locking security hood and doors keep cleaning supplies concealed from view; single key (incl.) unlocks both. Waste cover with storage compartment for supplies. Lock 'n Go connection keeps a microfiber disinfecting bucket (sold separately) securely attached to the cart. Integrated holders for up to four safety signs. Includes zippered 33 gal. vinyl bag and two removable 10 qt. disinfecting caddies. JCAHO Compliant. 22w x 48¼d x 53½h. Shpg. wt. 74 lbs.

RCP 9T75

Each

**B. Microfiber Cleaning Cart**

Designed to work with Rubbermaid® microfiber cleaning accessories. Slide out bins are easily accessible from both sides of the cart. Fold out platform with Lock 'n Go connection keeps a microfiber disinfecting bucket (sold separately) securely attached to the cart. Features storage for microfiber frames, integrated holders and up to four safety signs. Includes zippered 33 gal. vinyl bag, two 10 qt. disinfecting caddies and two removable 30 qt. storage bins. 22w x 49¼d x 44h. Shpg. wt. 53 lbs.

◆RCP 9T73

Each

**C. High-Capacity Cleaning Cart**

Lock 'n Go connection keeps a microfiber disinfecting bucket (sold separately) securely attached to the cart. Integrated holders for up to four safety signs. Includes zippered 33 gal. vinyl bag and two removable 10 qt. disinfecting caddies. 22w x 49¼d x 44h. Shpg. wt. 45 lbs.

◆RCP 9T72

Each



Explore More!

BROOMS pages 236-239

Can't Find It? Call Us!

**A. Janitor Cart**

Designed with innovative features to improve staff efficiency: increased storage capacity; three shelves for supplies; hooks and holders for mop handles, broom handles and lobby dust pan; paper towel holder and zippered 25 gal. vinyl bag. Wire form holder keeps polyliner secure. Platform holds a 32 gal. container, standard size bucket. 8 in. nonmarking rear wheels and 4 in. nonmarking casters. Black. 21¾w x 46d x 38¾h. Shpg. wt. 36 lbs.

No.	Each
RCP 6173 88 BLA	

**High Capacity Replacement Vinyl Bag** For Rubbermaid® Hygen™ High Security Cleaning Cart, Microfiber Cleaning Cart, High Capacity Cleaning Cart or Rubbermaid® Janitor Cart. Water and leak proof bag with pleated sides. 33 gal. capacity. Yellow.

RCP 9T80 YEL
--------------



A

**B. Maid Carry Caddy**

All purpose caddy for carrying cleaning supplies or tools. Snaps onto rim of 44 gal. BRUTE® containers RCP 2643 and RCP 2643 60 (sold separately). 16w x 9d x 5h. Gray.

RCP 2649 GRA	Each
--------------	------



B

**C. Deluxe Carry Caddy**

Higher side walls securely hold up to eight 32 oz. commercial spray bottles. Molded in divider and small item holder for better organization. Ergonomic handle for comfort. 10½w x 15d x 7¾h. Black.

RCP 3154 88 BLA	Each
-----------------	------



C

**STEP-ON PREMIUM LINEN HAMPER**

Ideal for patient rooms, lab procedure rooms and emergency rooms. Assists in complying with OSHA regulation 29 CFR 1910.1030 "Occupational Exposure to Bloodborne Pathogens." Quiet, extra large foot pedal for handsfree sanitary use. Slow close integrated lid damper keeps odors and bacteria from escaping. Durable, impact resistant plastic and aluminum construction. Four quiet casters (two swivel, two fixed locking) for noise sensitive environments. Requires 30 gal. Linen Hamper Bag (sold separately) or can accommodate 30 gal. can liner. Washable, leak resistant bag with zippered front access for easy emptying. Black.

No.	Description	Size (L x W x H)	Shpg. Wt.	Each
D. RCP 6300 BLA	Linen Hamper	22¼ x 20¾ x 37¾	14.75 lbs.	
E. RCP 6350 BLA	30 gal. Linen Bag	19¾ x 13¾ x 29¼	2.8 lbs.	



Linen  
Hamper  
and Bag  
sold  
separately.

E

D



## Housekeeping Carts



Includes locking security hood.

A



B



C



D



E



F

**A. High-Security Housekeeping Cart**

Attractive, sleek design. Cart features superior tool organization and storage options in a secure, more compact footprint. Includes two removable 10 qt disinfecting caddies for organizing cleaning supplies. Locking cabinet doors on both sides of the cart for security. Includes locking hood and two high quality zippered compact fabric bags with waterproof PVC lining. Features lobby dust pan and vacuum holder; innovative rubber tool grips hold mop and broom handles up to 1 1/2 in. dia. Ergonomic comfort grip handle. Aluminum and structural web plastic construction. 4 in. swivel casters and 8 in. wheels. Shpg. wt. 79 lbs. 22w x 51 1/4l x 53 1/2h. Black. ☒ ☒

No.

Each

RCP 9T78

**Replacement Bags** For use with High Security Housekeeping Cart.

RCP 9T81 BLA

**HOUSEKEEPING CARTS**

Generous storage carts service 15 rooms. Large linen cabinet with shelf. Includes two ergonomic handle/bag holders. Underdeck shelf for storage or glass racks and a subdivided top organizer shelf with clutter screen. Molded in hooks and holders for large vinyl bag (one incl.), cleaning supplies and upright vacuum. Smooth structural web construction. Nonmarking corner bumpers and rolling 8 in. wheels with locking brakes (two swivel, two fixed). Black. 22w x 60l x 50h. ☒ ☒

No.	Description	Shpg. Wt.	Each
B. ♦ RCP 6191 BLA	Full Size with Locking Doors	108 1/2 lbs.	
C. ♦ RCP 6189 BLA	Full Size	102 1/2 lbs.	

**D. Deluxe High-Security Housekeeping Cart**

Features ergonomic handles with a 25° bend for easier pushing and steering. 15.3 cu. ft. capacity in a small footprint. Three shelves for organization, plus a locking drawer and hood accessory to hide amenities and deter theft (two keys incl.). Integrated vacuum holder. Includes one mobile fabric bag and one long fabric bag. Four rotating bumpers help protect walls and furniture from scuffs. Baked on, powder coated finish improves durability. Four ball bearing, nonmarking 8 in. casters. Cart made from recycled content. Product contains at least 30% post consumer recycled steel. May contribute to LEED certification. Meets EPA CPG requirements. Additional accessories sold separately. 22w x 55d x 56h. Black. ☒ ☒

RCP 9T64 BLA ●

Each

**E. Mobile Fabric Bag**

Two casters and metal handle for mobility. 18 1/2w x 11d x 35h.

RCP 6174 BLA

Each

**F. Vinyl Replacement Bag with Zippered Side Opening**

A complete system solution for housekeeping in the hospitality industry. Fits RCP 6189, RCP 6190, RCP 6191, RCP 6192 and RCP 9T19 carts. Brown.

RCP 6193 BRO

Each



**Explore More!**  
GUEST AMENITIES page 153  
Can't Find It? Call Us!




### A. Convertible Utility Cart

Multifunction cart converts from a utility cart to a platform truck in just seconds. Simple push buttons and foot pedal for easy conversion. Heavy duty plastic won't rust, dent, chip or peel. Lightweight for easy maneuverability and quiet operation. Rounded corners mean no sharp edges to nick walls or furniture. 400 lb. capacity (utility cart); 250 lb. capacity (platform truck). Recessed top shelf folds down to create back of platform truck. Platform truck configuration features 24 in. x 36 in. usable platform. Molded in ergonomic handle for comfort. Nonmarking swivel casters (two locking). Black/red. 23 $\frac{3}{4}$ "w x 45 $\frac{1}{2}$ "d. 34 $\frac{3}{4}$ " in. high (utility cart); 43 $\frac{1}{2}$ " in. high (platform truck); collapses to just 10 $\frac{1}{2}$ " in. high for efficient storage.

RCP 4300 BLA

Each

### B. Ladder Cart with Cabinet

Three section cart adapts to worksite requirements. Ladder platform carries up to a 6 foot ladder without hitting walls, doorways or elevators. Unique vertical profile offers higher worksurface height for improved ergonomics. Square footprint offers optimal maneuverability. Shelves feature molded in tool and pipe holders. Molded in handles. Powder coated steel and structural foam construction. 5 in. casters (two locking). 500 lb. capacity. Black/red. Lockable storage for safety and security (lock not incl.). Also features ladder platform and organizer tray. 27w x 31 $\frac{1}{2}$ l x 42h. Shpg. wt. 99 lbs. 

◆RCP 9T58 BLA

Each

### C. Folding Two-Step Step Stool

Sets up quickly; folds down to slim depth for storage in tight spaces and convenient transport. Slip resistant surfaces on steps and foot pads. Rust and dent resistant reinforced polypropylene cleans easily. Skid resistant feet. Supports 300 lbs. Cylinder color. Open: 18 $\frac{1}{2}$ "w x 21d x 22 $\frac{1}{2}$ "h. Folded: 18 $\frac{1}{2}$ "w x 5 $\frac{1}{2}$ "d x 25h. Shpg. wt. 6.93 lbs.

RCP 4209 CYL

Each

### D. Mobile Two-Step Step Stool

Push stool into position, step on it and casters instantly retract. Antiskid bottom holds firmly. Textured step surface. Supports 350 lbs. Plastic. 16 dia. (at base) x 13h. Shpg. wt. 7 lbs.

No.	Color	Each
RCP 2523 BLA	Black	
RCP 2523 BEI	Beige	



### E. Aluminum Euro Platform Ladder

Locking platform provides large standing area. Top rail for safety and convenience. Deeply serrated extruded aluminum steps for security. Slip resistant foot caps. ANSI Type III, Household, 200 lb. duty rating. 18 $\frac{1}{2}$ "w x 31 spread x 72h. Shpg. wt. 9 lbs.

DAV L2346 03BX

Each

### F. Six-Foot Fiberglass Commercial Stepladder

Channeled nonconductive fiberglass rails for strength and corrosion resistance. Deeply serrated U channel 3 in. steps. Angle bracing strengthens and stabilizes top step, bottom step and rear brace. Yellow molded plastic top holds quart paint can and has slots for small hand tools. Pinch resistant, heavy gauge outside side locks. ANSI Type II, Commercial, 225 lb. duty rating. 22 $\frac{1}{4}$ "w x 43 $\frac{1}{2}$ " spread x 72h. Shpg. wt. 16 lbs.

◆DAV 592 06BX

Each



A


*Folds flat for storage.*

*Shown as platform truck.*


B



C



D



E



F

- All ladders meet or exceed ANSI and OSHA safety codes
- Select ladder of proper duty rating to support combined weight of user and materials
- **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits

**Explore More!**  
page 343 **TOOL BOXES**

See page 2 for symbol legend. Call for current pricing.



# Safety Tape, Cones & Tread



## A. "Danger" Barrier Safety Tapes

Allows for quick and easy way to warn people of hazards or dangerous situations. 2 mils thick. Polyethylene. Red. 1000 ft. long. 8 rolls per case.

BRY 700022P

Case



## B. Safety Barricade Tapes

Made of durable plastic. Remains pliant in cold weather. 1000 ft. long.

No.	Description	Color	Case Qty.	Case
EML 711001*	Caution	Yellow	12	
EML 771001	Caution	Yellow	8	
EML 771004	Danger	Red	8	

\*Economy Grade



## C. Caution Printed Barrier Tape

This giant 1000 ft. roll lets you put up an instant warning parameter to mark dangerous construction work in progress, obstacles and hazards just about anything that creates a safety risk. Great for temporary crowd control, directing foot and vehicle traffic. Tough 2 mil tape holds up to high winds, rain and snow, holds bright color in sunlight for days.

IMP 7328

Each

## D. Vinyl "Wet Floor" Cone

This caution cone is made from sturdy, heavy duty material. The "Wet Floor" warning is printed on both sides, so passerby will see the text from two sides. Its square base is weighted, so this safety cone is staying put. 10 3/4" w x 10 3/4" d x 18" h. Orange.

IMP 9100

Each



## Jackson Safety\* Traffic Cones

Wide body profile for stability. Flow molded, PVC with white inner liner. Meet NCHRP 350 certification.

No.	Height	Each
<b>E. DW Series</b> Black base.		
KCC 16414	28 in.	
<b>F. D Series</b> Orange base. Meets MUTCD standards.		
KCC 16399	18 in.	

## G. Jackson Safety\* Highway Triangle Kit

Air flow design helps reduce wind resistance. Constructed of molded polypropylene plastic with red acrylic plastic reflectors. Meets FMVSS 125 standards. Kit includes three triangles in one red hard plastic case.

KCC 16947

Each



## H. Safety-Walk™ General-Purpose Tread

Helps prevent slips and falls in heavy traffic work areas, ramps, walkways, loading docks, machinery, vehicles and aircraft. Low profile design reduces trip hazard. Mineral coated, slip resistant material is highly durable. Pressure sensitive adhesive covered by a removable protective liner. For use on smooth, flat surfaces. Black.

No.	Size	Qty./Case	Case
<b>Rolls</b>			
MCO 19221	2 in. x 60 ft.	2	
MCO 19223	4 in. x 60 ft.	1	

## Individual Treads

MCO 19217 <b>NEW</b>	.75 in. x 24 in.	50	
----------------------	------------------	----	--

## I. Caution Stripe Tape

Striped vinyl, adhesive backed tape for marking traffic areas and physical hazards. Resists most common solvents except ketones, esters and chlorinated hydrocarbons. 2 in. wide x 108 ft. long.

MCO 04585

Roll

Explore More!

HARD HATS page 289

Can't Find It? Call Us!



### A. Site Safety Hanging Sign

Durable, bright yellow, bilingual (English/Spanish on one side, English/French on the other). "Closed for Cleaning" imprinted hanging sign features torsion action to secure pole. Pliable construction offers ease of use and storage. Open, 50¼w x 13h; closed, 25w x 13h.

RCP 9S16 YEL Each



### B. Pop-Up Safety Cone

Bright yellow safety cone is 21 sq. x 30h, features three sided multilingual (English/Spanish/French) "Caution" imprint and wet floor symbol. Top of cone offers label space for location assignment. Cone folds compactly for storage in tube, automatically opens for use. Storage tube (incl.) is wall mounted and shatter proof. ANSI and OSHA Compliant color and graphics.

RCP 9S01 YEL Each



### C. Folding Floor Signs

Bright yellow plastic wet floor warning signs can be read from 30 ft. away. Two sided 25 in. signs are ideal for doorways and narrow spaces. Fold flat for storage or transport on carts. Carrying handle. Open, 25 in. high, closed, 11w x 1½d x 26½h. ANSI and OSHA Compliant color and graphics.

No.	Message	Each
RCP 6112 YEL*	Caution (Multilingual)	
RCP 6112 77 YEL	Caution Wet Floor (English)	
RCP 6112 78 YEL*	Closed (Multilingual)	

\*English, Spanish and French

### D. Safety Cones

Bright yellow, four sided cones have versatile tops that accommodate a barricade belt, flashing light or lock in sign holder (accessories not incl.). Imprinted "Caution Wet Floor" in English and Spanish. Stackable; recessed top surface for handling ease. ANSI and OSHA Compliant color and graphics.

No.	Base Size (Inches)	Each
RCP 6276 77 YEL*	12¼ sq. x 36h	
RCP 6277 77 YEL	10½ sq. x 25¾h	

\*Has keyhole slots to accommodate barrier chain (not incl.)



Model with keyhole slots shown.

### E. Over-the-Spill™ Pad

Bright yellow slip resistant, tear off pads cover and absorb spills and alert pedestrians. Each pad absorbs up to 12 oz. (0.3 kg) of fluid. Imprinted with "Caution Wet Floor" in English and Spanish. Plastic pad has slot for hanging; also mounts to Folding Floor Signs (sold separately). 16½ x 14¼ sheets. 25 sheets per pad. ANSI and OSHA Compliant color and graphics.

No.	Description	Qty.	Pad
RCP 4254 YEL	Tablet	25 sheets/pad, 1 pad	

**Over the Spill™ Tablet Refill** 16½ x 14¼ refill sheets for RCP 4254 YEL. 25 sheets per pad.

RCP 4252 YEL	Refill	25 sheets/pad, 1 pad	
--------------	--------	----------------------	--



Pad mounts on Folding Floor Sign (sold separately).



### F. Mobile Barrier

Bright yellow barrier restricts access for maintenance or isolates safety hazards indoors or outdoors. With 16 articulating panels, flexible unit can be set up straight, curved or in a circle. Two 5 in. non marking wheels and four locking straps secure barrier in closed position. Shipped fully assembled. Open, 40 in. high x 13 ft. long x 1 in. deep; closed, 40 in. x 2 ft. x 13 in.; weighs 32 lbs. ANSI and OSHA Compliant color and graphics.

RCP 9S11 YEL Each



Shown closed.

Explore More!

pages 216 217 BUCKET/WRINGER COMBOS

See page 2 for symbol legend. Call for current pricing.



## Sorbents

**A. Allwick® Portable Spill Kits**

For oil, water based and chemical spills. Highly visible yellow PVC bag is just right for small spills. Kit includes 10 pads, two SOC's, one pair of nitrile gloves, one disposal bag and an instruction sheet. 5 kits per case.

SBD SKA PP

Case

**B. MRO Plus™ Sorbents**

Highly effective for cleanup and removal of oil and water based liquids. Dimpled material combining thickness, strength and high absorbency. Low linting, perforated. The dirt masking gray color fosters longer use before disposal.

No.	Description	Qty./Unit	Unit
<b>Pads</b> 15 in. x 19 in., 100 pads per bale.			
SBD MRO100	Heavyweight	1/Bale	
SBD MRO300	Mediumweight	1/Bale	
<b>Rolls</b> 30 in. wide x 150 ft. long, 1 roll per case.			
SBD MRO30 DP	Heavyweight	1/Case	
SBD MRO350 DP	Mediumweight	1/Case	

**Universal Sorbents**

Absorbs all water, petroleum and chemical based industrial fluids. Designed for use around machinery, under leaky pipes or fittings, in messy traffic areas and for general maintenance projects. Dimpled and perforated.

No.	Description	Qty./Unit	Unit
<b>C. Pads</b> 100 pads per bale.			
SBD AB BPU100	Heavyweight	1/Bale	
SBD AB BPU500	Mediumweight	1/Bale	
<b>D. Roll</b> 30 in. wide x 120 ft. long			
SBD AB BRU120	Heavyweight	1/Roll	

**E. High Traffic Sorbents**

Built for durability and high absorbency. Universal sorbent is even tough enough for forklift traffic. Mediumweight, double perfed. 30 in. wide x 300 ft. length.

SBD HT303

Bag

**F. Re-Form™ Plus Sorbents**

Material has a spunbond coverstock making it ideal for handling foot traffic and wiping applications. Perforated. 28.5 in. wide x 150 ft. length.

SBD RFP28DP

Each

**G. Slikwik Socs™ Absorbents**

Mold around corners and conform to uneven surfaces to prevent and soak up spills and drips. Corncob filled SOC for quick, dependable pick up of all but aggressive fluids. 3 in. x 42 in. 40 per case.

SBD SW46

Case

**H. High-Capacity Maintenance Folded Sorbents**

Easy to use solution for containing and cleaning up spills, drips and fluid leaks. It can be used as a boom, pillow, pad or roll. Perforations every 16 in. Compact, handy dispenser box allows easy, on site use. Minimizes sorbent waste for disposal. Each box absorbs 10½ gallons. 5 in. w x 50 ft. length. 3 boxes per case.

MCO 07172

Case



### A. Battlemat™ Maintenance Mat Roll

Soaks up oil, water, coolants, solvents, acids and bases. Perfect as walk on mats or single use absorbents in manufacturing plants and similar environments. Durable abrasion resistant upper layer draws moisture into bottom layer. Perfect for over spray or heavy traffic. Camouflage pattern masks drips and spills. Heavyweight, double perfed. 150 ft. long. 1 roll per case.

SBD BM15	Case
----------	------

### B. Env™ Oil Sorbents—Contractor Grade

For use with oil and petroleum based fluids. Economy sorbents are ideal for environmental applications. Comprised of the best available basic meltblown polypropylene. Mediumweight.

No.	Size (width x length)	Qty./Unit	Roll
SBD ENV150	30 in. x 150 ft.	1/Roll	
<b>Pads</b>			
SBD ENV200	15 in. x 19 in.	200/Bale	
SBD ENV300	15 in. x 19 in.	100/Bale	
<b>Booms</b>			
SBD ENV510	5 in. x 10 ft.	4/Bale	
SBD ENV810	8 in. x 10 ft.	4/Bale	

### C. GP™ Sorbents

General purpose maintenance pads can be used to clean up virtually any liquid. Constructed of high quality dimpled universal polypropylene. Gray in color to help hide the dirt. Full size pad, 15 in. x 19 in.

No.	Case Qty.	Bale
<b>Heavyweight</b>		
SBD GP100	100	
<b>Economyweight</b>		
SBD GP200	200	

### D. SPC™ Oil Sorbents

Designed to contain and control petroleum based fluids. Pads will not deteriorate, disintegrate, or sink. Extruded from polypropylene. Mediumweight, dimpled and perfed. 15 in. x 19 in. 100 pads per bale.

SBD SPC300	Bale
------------	------



### E. Petroleum Sorbent Pads

Low profile design, can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Scrim on one side increases strength and eliminates linting. Conveniently sized, allows the user to quickly spread sorbent over and in the path of a spill. 17 in. x 19 in. 100 pads per case.

MCO 28991	Case
-----------	------

### F. High-Capacity Petroleum Sorbent Rolls


Perfect for lining drawers, covering workbenches, or masking areas from oversprays. Rolls can be cut to cover small areas or laid on open waters, shorelines, or discharge streams. Made with scrim on one side, can be wrung out and reused many times. 38 in. w x 144 ft. length. 1 roll per case.

MCO 28990	Case
-----------	------

### G. Oil Sorbent Sheets

Easy to apply, retrieve, and reuse, these pads are double the standard thickness. Ideal for congested areas such as under docks, in shallow water, rocky shorelines, marshes, and beaches. Can be used in place of clay granules. 17 in. x 19 in. 100 sheets per case.

MCO 16050	Case
-----------	------



**Explore More!**  
page 323 JANITOR CARTS

See page 2 for symbol legend. Call for current pricing.



# Sorbent • Dry Deodorants • Expanding Foam



A



B



C



D



E



F



## A. Maintenance Sorbent Pads

High capacity maintenance sorbent pads have a scrim on one side to increase strength and help eliminate linting. Conveniently sized for tight areas or to place in, under and around machines. Gray. 100 pads per case.

No.	Size	Case
MCO M PD1520DD	15½ x 20½	
MCO M PD720GG	7½ x 20½	



## B. MAXIMUM SECURITY™ Absorbent

Natural absorbent that captures and holds industrial spills. Safe, dustless and won't release the spills it imprisons. Non flammable, non hazardous and exceeds all EPA liquid waste disposal standards.

No.	Description	Qty./Case	Case
AMR P00530 32	32 oz. Canister	12	
AMR P00530 6	1 lb. Bag	6	



## C. Super-Sorb Liquid Spill Absorbent

For the sanitary disposal of vomit, blood, urine and other liquids on hard surfaces. Simply sprinkle granular absorbent onto spills, then sweep. Instantly absorbs 60 times its weight. Quat and microbicide eliminate odors. Biodegradable corn base. Low VOC (per CARB and OTC). Lemon scent. 12 oz. shaker can. 6 cans per box.

FRS 6 14 SS	Box
-------------	-----



## D. Granular Deodorant

Clay granules destroy odors while absorbing moisture. Sprinkle on spill or other liquid mess, then vacuum or sweep away. Can also be mixed with sand in smoking urns or used as cat litter. Biodegradable. Recyclable packaging contains recycled content. Lemon scent. 16 oz. can. 6 cans per case.

BGD 150	Case
---------	------

## E. D-Vour Absorbent Powder

Absorbs, congeals and deodorizes liquid spills and bodily fluids for pickup; completely water soluble for easy disposal. Absorbs 100 times its weight. Not for use on acids or other oxidizing materials. Lemon scent. 16 oz. can. 6 cans per case.

BGD 166	Case
---------	------



## F. Polyurethane Triple Expanding Foam

Fills large and small holes in ceilings, floorboards, concrete or cinder block walls, and around ducts, cables, plumbing areas, and central heating pipes. Seals, bonds, and insulates. Can be used indoors or outdoors. UL listed. 12 oz. aerosol can. 12 cans per case.

RDL 909	Case
---------	------

**HON.**

Double reinforced steel at all four pivot points. Welded cross bars provide extreme stability. Slip resistant end caps on legs. Light beige frame. The HON® Limited Five Year Warranty. 18½w x 19½d x 29¼h.

**A. Steel Folding Chair with Padded Seat**

1 in. thick light beige vinyl seat pad. 4 chairs per carton. Shpg. wt. 43 lbs.

HNN FC02LBG	Case
-------------	------

**B. All-Steel Folding Chair**

4 chairs per carton. Shpg. wt. 38 lbs.

HNN FC01LBG	Case
-------------	------

**C. Big Foot® Doorstop**

Wedge style, nonslip rubber with extra wide flange. 2¼w x 4¾d x 1¼h.

No.	Color	Each
MST 00900	Beige	
MST 00920	Brown	
MST 00941	Gray	

**D. Compac™ Automatic Hand Dryer**

Surface mounted hand dryer with electronic sensor for "no touch" operation. Slim width fits tight spaces. Molded, plastic cover. Gray. Not designed for vandal prone washrooms. 115V, 15 amp, 1725 watts, 60 Hz., cULus Listed. 10¼w x 5¾d x 10¼h. Manufacturer's 10 year limited warranty.

BOB 710	Each
---------	------

**E. TrimLine™ Series Surface-Mounted ADA Dryer**

Durable, 18 gauge, type 304 stainless steel cover with black plastic trim. Automatic sensor with dual air outlets. 115V, 15 amp, 1725 watts, 50/60 Hz., single phases, cULus Listed. 14w x 4d x 14h. Manufacturer's three year warranty on motor brushes, limited 10 year warranty on all other parts.

BOB 7128 115V	Each
---------------	------

**F. Auto Faucet®**

Touch free activation eliminates cross contamination. Surround Sensor™ technology has 3 in. omni directional sensing zone that guarantees activation every time. Four D batteries included (last 400,000 cycles or three years). 2¼w x 6½l x 3¾h.

RCP 500483 <b>NEW</b>	Each
-----------------------	------

**IMPACT®****Disposable Washroom Floor Mats**

Protects floor from stains and uric acid damage, making restroom maintenance easier. Contains fungicide (Busan II M1) to fight germs. Non slip bottom. Lasts up to six weeks. 6 mats per case.

No.	Description	Size	Case
<b>For Urinals</b>			
<b>G.</b> IMP 1525	Green Apple Fragrance, Gray	17½w x 20¾d	
IMP 1525 5	Fresh Scent, Black	17½w x 20¾d	
<b>For Toilets</b>			
<b>H.</b> IMP 1550	Green Apple Fragrance, Gray	23w x 21¾d	
IMP 1550 5	Fresh Scent, Black	23w x 21¾d	





# Baby Changing Tables • Plunger

Includes antimicrobial protection.



A



B



C



Microban® antimicrobial additive resists odors and bacterial growth.



D



E



F



## BABy CHANGING STATIONS

Manufactured with an antimicrobial agent that inhibits the growth of odor and stain causing bacteria and helps reduce the risk of cross contamination. Ergonomic design provides convenient, one handed opening. Two built in hooks provide ready access to diaper bag or purse. Accessory shelf holds baby changing supplies at hand. Smooth, crevice free design with adjustable safety belt and built in liner dispenser. Includes mounting kit. Meets all applicable ASTM, ADA, FDA and EN global safety regulations and standards.

### A. Light Platinum Horizontal Baby Changing Station

Closes shut against wall to 33½w x 4d x 21½h. Shpg. wt. 23.5 lbs.

RCP 7818 88 PLA

Each

### B. Protective Liners for Baby Changing Stations

Laminated, two ply tissue paper. White. 13¼ in. x 5½ in. size. 320 liners per case. Shpg. wt. 4.8 lbs.

RCP 7817 88 WHI

Case



## KOALA KARE® BABY CHANGING STATIONS

High density polyethylene construction with exclusive Microban® antimicrobial protection, inhibits the growth of odor causing bacteria. Bed features smooth, concave changing area with nylon safety straps and two hooks for bags or purses. Universal instruction graphics. Built in liner dispenser. Includes steel mounting brackets and hinges. Hidden pneumatic gas spring mechanism provides controlled, one handed opening and closing of changing bed. Meets or exceeds ASTM safety requirements. ADA Compliant when properly installed.

### C. Horizontal Baby Changing Station

Pulls down from wall and opens to 35¼w x 19¼d x 20h; closes shut against wall to 35¼w x 4d x 20h. Shpg. wt. 30 lbs.

No.	Color	Each
KKP KB200 00	Cream	
KKP KB200 01	Gray	

### D. Vertical Baby Changing Station

Pulls down from wall and opens to 22w x 35d x 35½h; closes shut against wall to 22w x 5½d x 35½h. Cream. Shpg. wt. 30 lbs.

KKP KB101 00

Each

### E. Sanitary Bed Liners for Baby Changing Stations

Three ply, biodegradable. White. 13 in. x 18 in. size. 500 liners per case. Shpg. wt. 11 lbs.

KKP KB150 99

Case



## F. Plunger

For drains or toilets. 20 in. wood handle with 4 in. high, 6 in. dia. plunger.

UNS 9201

Each

Explore More!

DEODORIZERS pages 89 103

Can't Find It? Call Us!



imagination at work.

- Quality from the worldwide industry leader

### A. Incandescent Light Bulbs

General purpose, 60 watt soft white bulbs. Lamps are recyclable. Packaging made of recycled content. 60A19/SW. 4 bulbs per pack. 12 packs per case.

GNL 41028 • Case

### B. Incandescent Indoor Floodlight, Reflector

65 watts, 120 volts, 65BR30/FL/ML. 1 bulb per package. Lamps are recyclable. Packaging made of recycled content.

GNL 20331 • Each

### Fluorescent Tubes

Lamps are recyclable and contain less than 1% pre consumer and post consumer recycled content. Product contains 1% total recovered material. Packaging made of recycled content.

No.	Watts	Description	Qty./Unit	Unit
<b>C. 18 in. Tube</b>				
GNL 10143 •	15	F15T8CW	6/Pack	
<b>D. 24 in. Tube, Cool White</b>				
GNL 80046* •	20	F20T12CW	6/Pack	
<b>E. 48 in. Tube, Cool White Energy Saver, Low Mercury</b> For commercial use only.				
GNL 21858 •	34	F34SP35RSWMECOUP	6/Pack	

\* Product contains 1% post consumer material

### SLI LIGHTING

#### 48-in. Fluorescent Tubes

Manufacturer's warranty against early failure. Manufactured to last longer. 30 tubes per case.

No.	Watts	Description	Case
<b>F. 48 in. Tube, Cool White, Low Mercury</b> For commercial use only. Energy saver.			
SUP 30531 •	34	F34T12CW/ES	
<b>G. 48 in. Tube, Cool White Deluxe</b> Works in both commercial and home style fixtures.			
SUP 30563*	40	F40T12CWX	

\*Home style fixtures can overheat and pose a fire hazard if wrong tube is used

**Note:** All bulbs listed conform to, or are exempt from, the most recent Federal Epact Legislation.



### H. Flood Sucker Bulb Changer

Fully insulated bulb changer for use on floodlights and bulbs 300 watts and larger. Six suction cups hold and release bulbs. Use with Unger® extension pole (sold separately).

UNG FS00 • Each

## Light Bulbs • Bulb Changer





# Batteries



A



B



C



D



E



F

## Energizer

### A. Ultimate Lithium Batteries

Lasts up to nine hours longer than standard alkaline batteries in digital cameras. Performs in the most extreme temperature ranges between 40° and 140°. Weighs 1/3 less than standard alkaline batteries.

No.	Size	Pack Qty.	Pack
ENE L91BP2	AA	2	
ENE L91BP4	AA	4	
ENE L92BP2	AAA	2	
ENE L92BP4	AAA	4	

### B. Industrial Alkaline Batteries

Economical power for devices that demand high power and are heavily used.

No.	Size	Pack Qty.	Pack
ENE EN92	AAA	24	
ENE EN91	AA	24	
ENE EN93	C	12	
ENE EN95	D	12	
ENE EN22	9V	12	

### C. MAX® Alkaline Batteries

Energizer® MAX® batteries deliver dependable, powerful performance that keeps going and going. Provides long life for the devices you use everyday from toys to CD players to flashlights. The latest generation of our popular alkaline batteries is exactly what you need.

No.	Size	Pack Qty.	Pack
ENE E91SBP24H	AA	24	
ENE E93FP 8	C	8	
ENE E95FP 8	D	8	
ENE 522FP 4	9V	4	



### D. Alkaline Batteries

Trusted, high quality alkaline batteries that deliver superior capacity in all of your general use electronic devices.

No.	Size	Pack Qty.	Pack
INO 11124	AAA	24	
INO 11024	AA	24	
INO 22012	C	12	
INO 33012	D	12	
INO 44004	9V	4	

## DURACELL®

### E. Coppertop® Batteries

Date coded batteries feature enhanced, secure seals for safe, leakage and corrosion free operation. Trusted Everywhere™ to deliver reliable, long lasting, portable power for everything from emergency equipment to consumer electronics.

No.	Size	Pack Qty.	Pack
DRC MN24RT12Z	AAA	12	
DRC MN14RT8Z	C	8	
DRC MN13RT8Z	D	8	
DRC MN16RT4Z	9V	4	

### F. PROCELL® Alkaline Batteries

Same high quality as Duracell® Coppertop® purchased in bulk for tremendous savings.

No.	Size	Pack Qty.	Pack
DRC PC2400BKD	AAA	24	
DRC PC1500BKD	AA	24	
DRC PC1400	C	12	
DRC PC1300	D	12	
DRC PC1604BKD	9V	12	

Explore More!

SAFETY TAPE page 326

Can't Find It? Call Us!

**A. HeadsUP Lite™**

Combo headlight LEDs (for close up work) or Xenon (for general use). ABS resin body and shroud. Water resistant. 9 / 14 lumens. Three AAA batteries required.

PPD 2620C

Each

**B. HeadsUp Lite™ LED Flashlights**

Includes a rubber strap for a hard hat and a comfortable adjustable cloth strap for bare head. Three AAA alkaline batteries required. 3 / 9 lumens. Black.

PPD 2610C

Each

**MityLite™ Flashlights**

The MityLite™ is compact, lightweight and equipped with a shirt clip, making it easy to fit into pockets, purses, tool kits, camera bags, or glove compartments. Rotary on/off switch. Water resistant (not for diving applications). Two alkaline batteries required.

No.	Color	Battery	Each
<b>MityLite™</b> Ex(CE), UL, CSA Approved. 7 lumens.			
C. PPD 1900CBLACK	Black	AAA	
D. PPD 1900CYELLOW	Yellow	AAA	
<b>MityLite™ Plus</b> ATEX, CSA, MSHA and UL Approved			
E. PPD 2340CYELLOW	Yellow	AA	

**F. Maglite® Standard Flashlights**

High intensity adjustable light beam (spot to flood). Recessed, push button, self cleaning, three position switch. Rugged, machined aluminum construction with knurled design. Anodized inside and out for improved corrosion resistance. Spare lamp safely secured inside the tailcap. D battery required. Black. 12 flashlights per case.

No.	Length	Case
MGL S2D016	10 in.	
MGL S3D016	12 <sup>1</sup> / <sub>2</sub> in.	
MGL S4D016	14 <sup>2</sup> / <sub>2</sub> in.	

**G. Mini Maglite® AA Flashlights**

High intensity light beam. ½ turn, twist focus, spot to flood. Patented candle mode. O ring sealed for water resistance. Spare lamp, vented tailcap. Two AA alkaline batteries required (incl.). 5¾ length. Black. 12 flashlights per case.

No.	Case
MGL M2A016	
MGL M2A01H*	

\*Includes Polypropylene Belt Holster

**H. Mini Maglite® LED Flashlights**

High brightness with efficient power usage. Candle mode, unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head. Two AA alkaline batteries (incl.). Black. 6 flashlights per box.

MGL SP2201H

Box

**I. Headlamp**

6 LED lights adjust to your hands free lighting needs. Swivel head for accurate aim and headband to mount on hard hat or around head.

ENE HDL33A2E

Each



A



B



C



D



E



F



G



H



I

**Explore More!**

pages 280 286 **WORK GLOVES**

See page 2 for symbol legend. Call for current pricing.



# Flashlights



## A. Razor LED Flashlights

Constructed of super tough nylon. Reflector focuses the light from the high output LED. Ergonomically designed push button switch. Watertight seal. Intrinsically Safe Zone 0, Worldwide Safety Std: IECEx Exia IIC T4 iaD T135C Ga, Da; European Safety Std: ATEX II 1 GD Exia IIC T4 iaD T135C; Equivalent to UL Rating Class 1 Division 1 Groups A, B, C, D, T4 and Class II Division 1 Groups E, F, G, T4. Three AA alkaline batteries required. 7 1/4 in. length. 60 lumens max. Safety Orange. 12 flashlights per case.

BGT 60102

Case

## B. The Bright Star® Industrial Flashlights

Faceted reflector with patented lens ring stand offs. Switch guard. Unbreakable Tuflexx® lens. Sure grip ribbed, crush resistant case. Anti roll design. Spare bulb holder. Yellow. 2 D batteries required. 17,000 cp. 24 flashlights per case.

BGT 10500

Case

## Worksafe™ Waterproof Flashlights and Lanterns

Circuit breaking mechanism instantly disconnects bulb from power source in the event of bulb breakage. Waterproof. Made in the USA. Orange.

No.	MBCP*	Case Qty.	Case
<b>Flashlights</b> Three way switch. Push button for providing intermittent light. D batteries required. Division 1 UL listed, ASTM, MSHA.			
C. BGT 14460	10,000 cp	12	
D. BGT 14720	15,000 cp	12	

**Lantern** Oversized reflector, switch guard. Spare bulb holder. Uses 6V battery. MSHA listed, Division 1 UL listed, CSA listed.

E. BGT 7050Be	50,000 cp	6	
---------------	-----------	---	--

\* Beam Concentration



## F. Super PeliLite™ Flashlights

Xenon lamp module can cut through smoke, fog, and rain, making it a perfect light source for all applications. Rotary on/off switch. Ex(CE), FM, CSA, MSHA, and UL approved. Two C alkaline batteries (not incl.). 15 lumens. 10,000 cp beam concentration (MBCP). Yellow. 12 flashlights per case.

PPD 1800CYELLOW

Case

## G. SabreLite™ Recoil LED™ Flashlights

Recoil LED Technology™ produces a white collimated beam that's as bright as an incandescent light. Twist on/off lens shroud eliminates accidental discharge. 32 lumens. Three C batteries required. Yellow.

PPD 2010CYELLOW

Each

## H. Super SabreLite™ Flashlights

The SabreLite™ has an exclusive state of the art laser spot xenon lamp module that produces a tightly focused white light beam. Rotary on/off switch. Ex (CE), CSA, FM, MSHA and UL approved. 12,000 cp beam concentration (MBCP). 33 lumens. Three C alkaline batteries required.

No.	Color	Each
PPD 2000BLACK	Black	
PPD 2000CORANGE	Orange	
PPD 2000CYELLOW	Yellow	

## I. StealthLite™ Flashlights

Features Pelican's patented state of the art Laser Spot™ Xenon lamp module. White collimated light beam. UL, CE, CSA, MSHA, and EX approved. 10,000 cp beam concentration (MBCP). 31.5 lumens. Four AA alkaline batteries required (not incl.). Yellow.

PPD 2400CYELLOW

Each

Explore More!

TOOL BOXES page 343

Can't Find It? Call Us!

**Energizer****A. LED Pen Flashlight**

Durable aluminum body stands up to falls and rough handling. Push button switch allows one handed operation. Clips easily to tool bag, briefcase or pocket. Extended run time and reduced battery consumption result in cost savings. Two AAA batteries required (incl.).

ENE PLED23AEH

Each

**B. Eveready LED Economy Light**

LED light lasts eight times longer than incandescent light. Ribbed casing. Slide switch. 40 hours of runtime. 6 per case.

ENE 3151LS

Each

**C. Stinger® Rechargeable Flashlights**

Machined aluminum housing anodized against corrosion inside and out. 11,000 cp beam concentration (MBCP). 90 lumens. UL listed Class I, II, Div. 2, CE. Black. 6 flashlights per case.

LGT 75014

Case

**D. Strion® LED Flashlights**

Compact, machined aluminum flashlight featuring a super bright C4 LED. Knurled grip and borofloat high temperature glass. Multi function, push button tactical tailswitch. Up to 8800 cp beam concentration (MBCP). Up to 160 lumens. Black.

LGT 74302

Each

**E. Stylus® Flashlights**

Waterproof and individually serialized. Momentary "blink" switch and constant "on." Nonslip grip. Three AAA Alkaline batteries required. 140cp beam concentration (MBCP). 11 lumens. Black with white LED.

LGT 65018

Each

**ProPolymer® Flashlights**

Virtually indestructible, non conductive polymer which features a rubber face cap for impact and shock resistance. Waterproof, safety approved. Tail cap on/off switching. Wrist lanyard connection. C cell lights have a spring loaded clip. Includes batteries (except C Cell models). Yellow.

No.	Length	Battery	Lumens	Case
<b>Approvals: UL listed Class I; Div. I. Class I, II, Div. 2 Class III; MSHA; CE</b>				
<b>F. LGT 33202*</b>	8½ in.	C	85	
<b>UL Listed Class I, Div. I; Class I, II, Div. 2; Class III; MSHA; CE</b>				
<b>G. LGT 68202**</b>	6½ in.	AA	67	
<b>UL Listed Class I, Div. 2; CE</b>				
<b>H. LGT 68244**</b>	7 in.	AA	42	
<b>UL Listed Class I, Div. 1; MSHA; CE</b>				
<b>I. LGT 68602**</b>	7 in.	AA	42	

\*Spring Loaded Clip

\*\*Batteries Included



A



B



C



D



E



F



G



H



I

**Explore More!**  
pages 334 BATTERIES

See page 2 for symbol legend. Call for current pricing.



# Lock Boxes • Hasps • Padlocks



A



B

C



D



E



F




G



H



I



J



K



## K. Solid Aluminum Padlocks

Corrosion resistant, laser engraveable. Case hardened boron alloy steel. Aluminum. Red. 6 locks per box.

AMK A1106REDK

Box

## Master Lock.

### A. Group Lock Boxes

Red lockout color identifies the safety lockout application. Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system. Up to 13 workers can apply their personal safety locks. Steel. 3 3/4" w x 6" h x 9 1/4" l.

MAS 498A

Each

### Safety Lockout Padlocks

Designed by safety directors specifically for OSHA lockout compliance. Durable, lightweight, non conductive xenoy lock body with permanent, write on labels. High security, reserved for safety cylinder up to 100,000 key changes. Key retaining ensures that padlocks are not left unlocked. Red.

No.

Each

### B. Master Lock 410

MAS 410RED

### C. Master Lock 411 Six pin key retaining cylinder

MAS 411RED

### D. Safety Lockout Hasps

Compatible with Nos. 410 and 411 safety lockout padlocks. Allows for lockout by up to six workers. Heavy gauge steel resists prying.

No.

Jaw Dia.

Each

MAS 420

1 1/2

MAS 421

1

### E. Safety Series™ "Do Not Operate" I.D. Tags

Durable polyester laminate resists water, grease and extreme temperatures. Heavy duty construction withstands up to 80 lbs. of pullout force (Meets OSHA requirements). Prevents accidental removal. Customize with name, department, expected completion. 7/16 in. diameter brass grommet accepts all safety padlocks.

MAS 497A

Bag

### No. 175 Combination Brass Padlocks

Set your own combination convenience. Resettable to any of 10,000 personalized combinations. Hardened steel. Solid brass.

No.

Shackle Size

Case Qty.

Case

### F. Changeable Combination Padlocks

MAS 175

1 in.

6

MAS 175LH

2 1/4 in.

6

### G. Combination Padlock

MAS 175D

1 in.

4

MAS 175DLH

2 1/4 in.

6

### H. Four-Pin Tumbler Padlock

Maximum security. Laminated steel body. Hardened steel shackle resists cutting and sawing. Includes two keys. 1 1/2 in. width.

MAS 3D

Each

### I. Twin Brass Three-Pin Tumbler Padlocks

Secure, compact protection for briefcases, cash boxes and storage cabinets. 3/4 in. body width. Two locks, two keys per pack; keys match both locks.

MAS 120 T

Pack

### J. Combination Lock

Three number dialing. Black dial. 1 1/2 in. body width.

MAS 1500D

Each



### A. Magnetic Shop Ticket Holders

Keep job tickets at your fingertips with these vinyl shop ticket holders with magnetic backing. Attach to any metal surface, including machinery, file cabinets or racking. Durable, non rip seams. 15 per box.

No.		Box
CLI 83911	<b>NEW</b>	8½ x 11
CLI 83912	<b>NEW</b>	9 x 12

### B. Self-Adhesive Vinyl Shop Ticket Holders

Stick these self adhesive vinyl holders wherever you need them. Conveniently attach to any clean, flat surface so you can store instructions or service records on machinery or equipment. Durable, non rip seams. 50 per box.

No.		Size	Box
CLI 70911	<b>NEW</b>	8½ x 11	
CLI 70912	<b>NEW</b>	9 x 12	

### C. Stitched Shop Ticket Holders

Keep work orders and schedules clean and clearly visible in these vinyl stitched ticket holders. Convenient eyelet at top for hanging. Choose clear on one or both sides. Holders open on short side unless noted.

No.		Size	Color	Qty./Box	Box
<b>One Side Clear</b>					
CLI 45911	<b>NEW</b>	8½ x 11	Black	25	
CLI 45912	<b>NEW</b>	9 x 12	Black	25	
<b>Both Sides Clear</b>					
CLI 46069	<b>NEW</b>	6 x 9	Black	25	
CLI 46911	<b>NEW</b>	8½ x 11	Black	25	
CLI 49911*	<b>NEW</b>	11 x 8½	Black	25	
CLI 46912	<b>NEW</b>	9 x 12	Black	25	
CLI 43910**	<b>NEW</b>	9 x 12	Neon Assorted	25	
CLI 41922†	<b>NEW</b>	9 x 12	Black	15	

\* Open long side.

\*\* Red, Yellow, Green, Pink and Orange.

† Includes hanging strap.



### D. Metal Rim Key Tags

Four color assortment. Card stock center for write on convenience. 1¼ in. dia. 50 tags per pack.

AVY 11 026	Pack
------------	------



### E. Wrist Key Coil

Allows easy and quick access to keys. Flexible plastic for wrist comfort. Includes steel key ring. Black.

PMC 04995	Each
-----------	------



### F. Call Bell

Clear tone, brushed nickel finish. 3¾ in. dia.

ADV CB10000	Each
-------------	------

## Shop Ticket Holders • Key Control • Call Bell



**Explore More!**  
page 338 **PADLOCKS**

See page 2 for symbol legend. Call for current pricing.



## Tape Dispenser • Tape • Packaging Envelopes



Easy one-hand dispensing.

A



B



D



C



F



E

**A. Box Sealing Tape Dispenser**

For one hand dispensing. Apply tape end, roll across carton, tilt and cut. Adjustable tension brake. For 2 in. wide, 3 in. core box sealing tapes up to 110 yds. long. Metal and plastic construction.

UVS 88000

Each

**B. Box Sealing Tapes**

100% polypropylene film with hot melt adhesive. Flexible, waterproof, slit, burst and stretch resistant. UPS and Parcel Post Approved.

No.	Color	Length	Pack
-----	-------	--------	------

**General Purpose Tape** Good holding power, economical. For sealing cartons up to 25 lbs. 1.85 mils thick, 28 lb. tensile (bursting) strength. All rolls are 2 in. wide (48mm), with a 3 in. core. 6 rolls per pack.

UVS 63000	Clear	55 yds. (50m)	
UVS 63001	Tan	55 yds. (50m)	
UVS 63500	Clear	110 yds. (100m)	

**Heavy Duty Tape** (Not shown). Extra holding power for sealing cartons to 50 lbs. 3.0 mils thick, 35 lb. tensile (bursting) strength. 2 in. x 55 yds. (48mm x 50m). 3 in. core. Tan. 6 rolls per pack.

UVS 93001

**C. General-Purpose Masking Tapes**

60 yds, 3 in. core.

No.	Width	Rolls/Case	Case
UVS 51301	1 in. (24 mm)	36	
UVS 51302	2 in. (48 mm)	24	

**Scotch****D. Scotch® Commercial Performance Packaging Tape**

Strong and thick. Resistant to splits, bursts and moisture. Meets U.S. postal regulations. Use clear for protecting address labels, too. Premium, heavy duty, 3.1 mils thick, 3 in. core. 48mm x 50m. Clear.

MCO 3750260CR

Roll

**E. Self-Adhesive Packing List Envelopes**

Permanent adhesive no lost documents. Printed PACKING LIST ENCLOSED. Bright orange background and printing conceal enclosure for added security. Separate address label required. 5½ x 4½.

No.	Qty./Unit	Unit
QPK 46895	100/Box	
QPK 46897	1000/Case	

**F. Polyethylene-Coated Cloth Duct Tape**

For repairing flexible hoses and sealing heat or A/C vents. UL 723 Listed. Rubber adhesive. 32 lb. tensile strength. 10.7 mils thick. Silver. 3 in. core. 1.88 in. x 60 yds.

MCO 06969

Roll

**Explore More!**

UTILITY KNIVES page 345

Can't Find It? Call Us!



- Wrap pallet loads to ensure safe and secure delivery
- Self adhering each layer of film bonds to the next for added strength
- Protects shipments from water, dirt and damage caused by excess movement
- 18 in. wide rolls with 3 in. core

### A. "Handwrap" Stretch Film

No.	Case
<b>15 Micron (60 Gauge) Thickness</b> For Type A loads to 2000 lbs. Roll length: 2000 ft. 4 rolls per case. Shpg. wt. 34 lbs. UVS 62018	
<b>20 Micron (80 Gauge) Thickness</b> For heavier Type B and Type C loads up to 2500 lbs. Roll length: 1500 ft. 4 rolls per case. Shpg. wt. 35 lbs. UVS 80118	

### B. Adjustable Hand Dispenser

Use with 12 in. to 18 in. wide stretch film rolls. Adjusts for the strongest tension. Shpg. wt. 4 lbs.

UVS 89000	Each
-----------	------



### C. Kleencut® Stainless Steel Straight Shears

Rust resistant, precision ground stainless steel blades with a soft, rubberized grip for comfort. Traditional German design. 6 in. length, 2¾ in. cut. Black handles. Manufacturer's 10 year warranty.

ACE 19016	Each
-----------	------

### D. KleenEarth® Straight Shears


Stainless steel blades are sonically welded. Handle is made of 70% recycled material. Product contains 30% post consumer material. 8 in. length, 3¼ in. cut. Black handles. Manufacturer's limited 10 year warranty.

ACE 41418	Each
-----------	------




Film and dispenser sold separately.


Check pallet types to determine which stretch film to use.



**TYPE A**  
Square, no protruding edges.



**TYPE B**  
Somewhat square with some voids in pallet.



**TYPE C**  
Protruding boxes and voids on pallet.

### TILT TRUCKS

See pages  
**355-356**

Lighten your load with a tilt truck that fits through doorways and elevators for convenient refuse collection and materials handling.



**Explore More!**

pages 367 369 **RECYCLING BINS**

See page 2 for symbol legend. Call for current pricing.



# PRODUCTS

THAT WORK in your Facility





### A. 16-Piece Light-Duty Office Tool Kit

Includes a 16 in. metal box with hammer, two screwdrivers (Phillips head and standard), slip joint pliers, adjustable wrench, 10 ft. rule, retractable utility knife, razor scraper and seven piece hex key set. Manufacturer's lifetime warranty.

GRE CTB9

Each



### B. Industrial 26-in. Tool Box

Sturdy structural foam construction won't rust, dent or peel. Removable tray for added compartmentalized storage. Metal tool box latches open and close easily, even with a gloved hand. Recessed contoured handle for convenient stacking. Can be padlocked for security (lock not incl.). Black.

RCP 7802 BLA

Each

### C. Closet Organizer/Tool Holders

S hooks hold items 5/8 in. to 1 1/4 in. dia. Deep double hooks for accessibility. Clip holder for work notes and instructions. Carry sling stores and transports hoses and extension cords. Wall mount. Gray.

No.

Each

**18 in. Length** Two S hooks, one double hook.

RCP 1992 GRA

**34 in. Length** Three S hooks, two double hooks, clip holder. Carry sling fits on double hook.

RCP 1993 GRA



Quality Tools for Smart Cleaning

### D. Hold Up Aluminum Tool Racks

Open top design allows tools to hang at various heights. Rubber fingers firmly grasp different size handles. Front hooks hold additional tools. Wall mount.

No.

Length

Each

UNG HU45

18 in.

UNG HU90

36 in.

### E. NiftyNabber® Bagger

Practical waste carrier for indoor and outdoor cleaning. Use with or without trash liner. Easy to maneuver, eliminates the need for bending and lifting. Features a solid plastic bottom with drainage holes and two carry loops making it easy to slide along any surface, including asphalt, cement, gravel and grass as you work. Collapses for compact storage. 40 gal. capacity fits a standard 50 gal. liner.

UNG NB300

Each

### F. NiftyNabber® Pro

Gear driven claws grab litter, cans and debris; overmolded "fingers" provide excellent gripping power pick up cigarette butts and small objects with ease.

No.

Size

Each

UNG NN40

18 in.

UNG NN90

36 in.

UNG NN14

51 in.

### G. NiftyNabber® Trigger Grip

Ergonomic designed grip with trigger pull action for increased comfort and efficiency. Good for above waist and picking up from ground. Head rotates 360° and can be locked in position every 90°. Rubber claws with magnetic tips grab and hold even the smallest items, or open up to 5 in. to grab larger diameter items. Lightweight, rust resistant aluminum construction. 32 in. long.

UNG NT080

Each



A




Orderly tool storage  
and improved  
access increase  
productivity.



B



C




D



E



F



G

H

### H. People's Paper Picker Pin

Durable, lightweight steel body with replaceable pin plug. Ideal for picking up paper, debris and cans without bending. 42 in. long.

No.	Description	Each
UNG PPPP	Paper Picker Pin	
UNG PINP	Replacement Pin Plug	

Explore More!

pages 371 379 WASTE RECEPTACLES

See page 2 for symbol legend. Call for current pricing.



## Scrapers



Replacement blades  
sold separately.



Quality Tools for Smart Cleaning

### A. ErgoTec® Safety Scraper

Ergonomic, nonslip rubber grip makes scraping easier and more comfortable. Unique locking system stops blades from sliding out during use. Push the nonslip trigger forward and blade is ready for use; push again to easily change the blade. Standard No. 9 (1½ in.) blade.

UNG SR040

Each

### B. Stainless Steel Safety Scraper

Unique locking system eliminates blades from sliding out while working. Uses standard No. 9 (1 in.) razor blades (not incl.).

No.	Description	Qty./Unit	Unit
UNG SR50	Scraper	1/Each	

#### Glass Scraper Replacement Blades

UNG TR15*	6 in. Replacement Blades	25/Tube	
UNG SRB10	1 in. #9 Std. Blades	100/Box	

\* Replacement blades are individually wrapped to prevent rusting.

### C. ErgoTec® Scraper

Reversible 4 in. carbon steel blade has blunt edge for cement or stucco work and a razor edge for scraping paint and tape. New ergonomic comfort grip handle locks onto all Unger® poles with Locking Cone.

UNG SH00C

Each

### D. The Brute Scraper

The 12 in. ergonomic aluminum handle allows two handed use for added pressure on tough scraping jobs. Ergonomic comfort grip. Includes 4 in. wide carbon steel blade with blunt edge for cement or stucco work and razor edge for scraping paint and tape. Replacement blades are sold separately.

UNG SH25C

Each

### E. 4-in. Light Duty Floor Scraper

Easily removes gum, stickers, wax build up and caked on dirt. 4 in. scraper heads are angled for better performance, control and strength. Razor sharp blade eliminates strenuous scraping on all hard surface floors, including vinyl and resilient tile, and flat and smooth surfaces. Blunt blade for delicate, uneven floors. Lightweight, aluminum 48 in. long, .83 in. diameter handle with ergonomic grip and hanging hole.

No.	Description	Qty./Unit	Unit
UNG LH12C	4 in. Floor Scraper	1/Each	
UNG RB10C*	4 in. Replacement Blades	10/Tube	

\* Use with ErgoTec®, Brute and Light Duty scrapers

### F. Heavy-Duty Floor Scraper

Excellent for removing carpets, tile and adhesives. Angled 8 in. wide scraper head allows for quick work in large areas and close work along walls. Strong, steel telescopic handle with comfortable rubber grip extends from 3 ft. to 5 ft. Durable, nonslip cam locking system. Includes one 8 in. carbon steel blade with blunt and razor edges. Replacement blades are also dual edged (blunt/razor) carbon steel for different floor surfaces.

No.	Description	Qty./Unit	Unit
UNG HDSC	8 in. Floor Scraper	1/Each	
UNG HDSB	8 in. Replacement Blades	10/Tube	

**A. Putty Knife**

Plastic handle. Stiff 1¼ in. wide blade.

GRE 15PKS

Each

**B. Quick Change Utility Knife**

Fully retractable blade for safety. Built in twine cutter. Includes one blade. 6 knives per box.

BST 10 499

Box

**C. Klever Kutter™**

Disposable safety cutter prevents costly injuries and damage to products. Patented design features a recessed blade that virtually eliminates injuries. Prevents damage to carton contents by allowing only a minimal portion of the blade to penetrate the carton surface. Dual stainless steel blade lasts twice as long as typical single blade cutters. Eliminates the need to change blades. Ergonomic contour design with molded ridges fits perfectly in any hand and ensures a secure grip. NSF Listed and dishwasher safe. High density plastic with stainless steel blade. Red color provides visibility in cluttered environments. 3 cutters per pack.

SAN KK403

Pack

**D. Jiffi-Cutter**

The economical choice for light duty cutting jobs. Fully retractable blade for safety. Each cutter includes one blade. 12 cutters per box.

CSO 091460

Box



A



B



C



D

**WORK GLOVES**

See pages

**280-286**

From your lightest work projects to the toughest, make sure safety and hand protection are at the top of your list. We carry work gloves to fit every task, including general-, specialized- and multi-purpose, gloves with greater strength and abrasion resistance, premium gloves that minimize hand fatigue and gloves with longer cuffs to maximize wrist protection.







**Explore More!**  
page 314 **FIRST AID KITS**

See page 2 for symbol legend. Call for current pricing.





Product Type	Benefit Feature	
<b>Floor Squeegees</b>	Clears floors of water and much more (page 348). Use to clear away large volumes of mud, snow, slush, and other debris. Squeegee frames are made with galvanized steel to withstand the heavier workload. Nylon inserts (page 348) adapt squeegees for use with Acme-threaded handles.	
<b>Sanitary Squeegees</b>	Available as standard or brush/squeegee combination (page 348). Ideal for hospitals, bathrooms, kitchens, dairies, swimming pools and other areas where cleanliness is key. Durable polypropylene construction resists acids.	
<b>Water Wands</b>	Wash and wipe away at the same time! Water Wands (page 347) combine with aluminum handles (page 347) to wash thoroughly and reach difficult spots. Use to clean grout, uneven surfaces, tiling, and more. After the washing is done, the squeegee's rubber blades whisk away standing water, leaving the surface finger dry. Adapters are available (page 351) to create Acme-compatible sockets on the wands, allowing for the use of tapered or threaded handles.	
<b>General-Duty Squeegees</b>	Perfect for washing and wiping glass. Allows for easy handling and gentler use on fragile surfaces. Use the sponge for scrubbing, flip the squeegee over, then use the rubber blade for wiping water away. For use on vehicle windows, mirrors and smooth surfaces that need cleaning and instant water removal (page 349).	
<b>Window Squeegees</b>	Wipe away water with a longer reach. The soft, thin rubber blade clears water from any smooth, flat surface and works perfectly on windows. Handle allows squeegee to be attached extension wands to reach higher areas (pages 349-350).	



Quality Tools for Smart Cleaning

## WATER WANDS

Digs deep into tile crevices and uneven floor surfaces to remove liquids, leaving floor finger dry. Twin moss foam rubber blades. Choose from standard or heavy duty squeegee with rugged galvanized steel construction and splash guard. Tapered socket; use with Pro aluminum handles (sold separately). Water wand acme insert (sold separately) will convert water wand from tapered socket to Acme threaded socket.

No.	Size (Inches)	Each
<b>A. Standard Disposable</b> With black natural foam rubber.		
UNG MW450	18	
UNG MW550	22	
<b>B. Heavy Duty</b> With black natural foam rubber.		
UNG HM550	22	
UNG HM750	30	
<b>C. Heavy Duty Red Neoprene</b> With chemical and oil resistant rubber.		
UNG HW750	30	

## D. SmartFit Heavy-Duty Water Wand

Innovative patented universal socket design accepts industry standard handles from 1 $\frac{1}{8}$  in. to 1 $\frac{1}{2}$  in. dia. Easy flush and rinse design reduces harmful bacteria buildup. Extra strong frame outlasts other floor squeegees. Custom color coding chip system by zone reduces cross contamination. Twin foam rubber blades.

No.	Size (Inches)	Each
UNG HM22A	22	
UNG HM30A	30	

## E. Water Wand Acme Insert

Easily converts Water Wand Series Floor Squeegees (sold separately) from tapered sockets to Acme compatible sockets for use with tapered or threaded handles. Strong, polymer blend plastic.

UNG FWA1	Each
----------	------

## ALUMINUM HANDLES

For Unger® floor squeegees and water wands (sold separately). All styles feature 1 in. diameter anodized aluminum lightweight handle with fluted finish for strength. Ergonomic grip for a comfortable hold. Convenient hang up hole.

## F. Pro Aluminum Knock Down Handle 1.5-Degree

Rigid, fluted aluminum pole ships in three pieces for compact and cheaper shipping. Ergonomic grip nylon handle. 56 in. long when assembled, 20 in. knocked down. 1.5 degree taper.

UNG AL14G	Each
-----------	------

## G. Pro Aluminum 1.5-Degree

56 in. long. 1.5 degree taper.

UNG AL140	Each
-----------	------

## H. Pro Aluminum Acme

58 in. long. Zinc Alloy Acme thread. Not for water wands.


UNG AL14A	Each
-----------	------

## TELE-POLES


See page  
**351**

Sturdy, lightweight construction and an ergonomic handle make it easy and safe to reach over 30-ft to clean walls, windows and ceilings.

## Floor Squeegees



Plastic insert converts tapered socket Water Wands for acceptance of either tapered or standard Acme threaded sockets.



**Explore More!**  
pages 328 330 **SORBENTS**

See page 2 for symbol legend. Call for current pricing.





A



B



C

Use nylon insert to use Acme threaded handle with Aquadozer®.



E



F

Sanitary Brush lets you scrub and squeegee with the same tool!



Quality Tools for Smart Cleaning

## AQUADOZER® FLOOR SQUEEGEES

- Use with Unger® 61 in. aluminum handle with three degree taper (sold separately)

### A. Aquadozer® Eco Floor Squeegees

Standard floor squeegee for water, mud, debris, waste, scrap, slush, snow and flood clean up. Galvanized steel frame with cast zinc socket. Features 2 in. replaceable black EPDM rubber.

No.	Size (Inches)	Each
UNG FE45	18	
UNG FE60	24	

### Aquadozer® Heavy-Duty Floor Squeegees

Heavy duty squeegees handle the toughest jobs. Rugged painted frame and cast zinc socket. With replaceable EPDM rubber. Use optional nylon insert (sold separately) to convert from three degree tapered socket to Acme threaded socket.

No.	Size (Inches)	Each
<b>B. Straight</b> With black neoprene rubber.		
UNG FP45	18	
UNG FP60	24	
UNG FP75	30	
UNG FP90	36	

### C. Curved With black neoprene rubber.

UNG FP60C	24	
UNG FP90C	36	

### D. Aquadozer® Squeegee Acme Threaded Insert

Snaps easily into three degree tapered socket of Aquadozer® heavy duty floor squeegees (sold separately) to allow use of Acme threaded handles. Nylon.

UNG FAAI	Each
----------	------

### E. Sanitary Standard Squeegees

For use in areas where hygiene is a top priority. Ideal for hospitals, kitchens, bathrooms, dairies, around swimming pools or wherever metal components are undesirable. Acid resistant polypropylene construction. Reinforced frame. Aluminum handle sold separately.

No.	Size	Each
UNG PM45A	18 in. Head	
UNG PM55A	22 in. Head	

### F. Sanitary Brushes

Scrub and squeegee with a single tool. Perfect for kitchens, decks, bathrooms and uneven surfaces. Acid resistant polypropylene reinforced frame incorporates a splash guard and Acme threaded socket. Durable fused polypropylene bristles and double moss rubber blade. Aluminum handle sold separately.

No.	Size	Each
UNG PB45A	18 in. Head	
UNG PB55A	22 in. Head	

\$\$\$SAVER



Injuries are very costly. Provide proper PPE (personal protective equipment) like gloves and eye protection. Many workers who don't wear eye protection accidentally spray cleaning chemical into the eyes. Others develop an allergic reaction to chemicals when not wearing protective gloves.

<http://www.thejanitorialstore.com/public/654.cfm>

Explore More!

SAFETY SIGNS page 327

Can't Find It? Call Us!



Quality Tools for Smart Cleaning

**A. Original Strip® Washer with Handle**

T shaped nylon handle has water wells that release water through the strip fabric as needed. The plush, woven fabric sleeve is machine washable and tackles everyday tough jobs, even dusting. Includes one handle and one fabric sleeve.

No.	Size	Each
UNG WC250	10 in. Strip	
UNG WC350	14 in. Strip	
UNG WC450	18 in. Strip	

**Original Replacement Strip Washers**

UNG WS250	10 in. Strip	
UNG WS350	14 in. Strip	
UNG WS450	18 in. Strip	

**B. Visa Versa®**

A strip washer and squeegee in one. Just wash, flip over and squeegee using hand or pole. Includes plush washer sleeve and quick spring release "S" Channel. Heads can be offset to clean over ledges.

No.	Size	Each
UNG VP25	10 in. Head	
UNG VP35	14 in. Head	
UNG VP45	18 in. Head	

**C. General-Duty Squeegees**

Ideal for windows. Black rubber blade. Synthetic sponge covered in nylon mesh for durability and abrasive scrubbing.

No.	Description	Each
UNS 816	8 in. Head, 16 in. Plastic Handle	
UNS 824	8 in. Head, 21 in. Metal Handle	



See page 346

**Explore More!**pages 48 51 **GLASS CLEANERS**

See page 2 for symbol legend. Call for current pricing.



## Window Squeegees



Quality Tools for Smart Cleaning

**Pro Stainless Steel Window Squeegees**

Fast lock handle with rubber grip, channel and rubber blade. Attaches to all poles with a press fit. Cleans any flat, smooth surface.

No.	Size (Inches)	Each
<b>A. Complete</b> With handle, channel and rubber blade.		
UNG PR30	12	
UNG PR35	14	
UNG PR40	16	
UNG PR45	18	

**B. "S" Channel** Stainless steel channel with soft rubber blade.

No.	Size (Inches)	Each
UNG NE30	12	
UNG NE35	14	
UNG NE45	18	

**C. Pro Stainless Steel Squeegee Handle**

No.	Size (Inches)	Each
UNG PRO0		

**Golden Clip® Window Squeegees**

Professional quality solid brass squeegee. Clipped channels, coin adjustable screws to hold channel.

No.	Size (Inches)	Each
<b>D. Complete</b> With handle, channel and rubber blade.		
UNG GS30	12	
UNG GS45	18	
<b>E. Brass Channel</b> With brass channel, soft rubber blade and clips.		
UNG GC30	12	

**F. ErgoTec Replacement Squeegee Rubber Blades**

For Unger® window squeegees. Soft rubber.

No.	Size (Inches)	Each
UNG RT30	12	
UNG RT35	14	
UNG RT45	18	

**G. Economical Window Squeegee**

All purpose window squeegee features durable reinforced rubber blade. 12 in. head.

No.	Size (Inches)	Each
UNS ES12		



**Explore More!**  
**MICROFIBER CLOTHS** page 196  
 Can't Find It? Call Us!



Quality Tools for Smart Cleaning

### A. Tele-Plus Pole

Flexible, modular system enables you to assemble pole up to 30 ft. in length. Drawn anodized aluminum pole is lightweight, easy and safe to handle, even when assembled to provide maximum reach. Reach higher than 30 ft. (pole length + height)! Includes five, 6 ft. long sections. Handle grip is ergonomically designed for comfort. ErgoTec® quick release locking cone (incl.) snaps into pole; attach a wide selection of tools by lock, press fit, Acme thread or snap in.

UNG TF900

Each

### B. OptiLoc Tele-Poles

Sturdy telescopic extension poles in two or three sections are constructed of anodized, extruded drawn aluminum with 3.5 in. nylon locking collars and snap in locking cone. Handle grip is ergonomically designed for comfort. Poles are lightweight and rigid. Each pole includes an ErgoTec® Locking Cone.

No.	Size	Sections	Each
UNG EZ120	4 ft.	2	
UNG EZ250	8 ft.	2	
UNG EZ400	13 ft.	2	
UNG ED370	12 ft.	3	
UNG ED450	14 ft.	3	
◆UNG ED550	18 ft.	3	
◆UNG ED900	30 ft.	3	

### C. Locking Cone Adapter for OptiLoc and Tele-Plus

ErgoTec® Locking Cone.

UNG NCAN

Each

### D. ProBucket

Heavy duty 6 gallon bucket with larger footprint for increased stability. Easily fits 18 in. washer. Rounded pour spouts on two corners for easier, more controlled emptying. Ergonomically designed handle increases comfort, and is stiffer and more stable for balance when carrying. Use with optional snap on lid and casters or bucket barge (not incl.). Green with black handle.

UNG QB220

Each

### E. Tran-Set Cleaning Kit

Everything needed to clean walls, windows and ceilings in an organized nylon carrying case. Kit includes 8 ft. extension pole; 14 in. strip washer; large sponge; Pro squeegee handle; 10 in., 14 in. and 18 in. "S" channels with rubber blades; 36 in. soft replacement squeegee rubber; Pro Trim 10 Scraper; Safety Scraper with blade; Fixi Clamp; Handi Brush and instructions.

UNG TRS0

Kit

### F. Pro Window Kit

Great starter kit for professional results. Includes 8 ft. extension pole, 18 in. strip washer, Pro stainless steel squeegee handle, 12 in. and 18 in. "S" channels with rubber blades, large sponge and Pro Trim Scraper with one blade.

UNG PWK0

Kit

## Extension Poles & Handles • Accessories



Explore More!

pages 277 278 RUBBER GLOVES

See page 2 for symbol legend. Call for current pricing.