

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/06/2014 Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Blueshield 6
Product code	: SG-2002-03187
Other means of identification	: Carbon Dioxide (10%) in Argon
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
Use of the substance/mixture	: Shielding gas for arc welding
1.3. Details of the supplier of the safety	data sheet
Air Liquide America Specialty Gases 6141 Easton Rd Plumsteadville, PA 18949 - USA T 1.800.217.2688 www.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	nixture
Classification (GHS-US)	
Compressed gas	H280
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation CGA-HG03 - May increase respiration and heart rate
Precautionary statements (GHS-US)	 CCA-FIGUS - May increase respiration and near rate P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P261 - Avoid breathing gas P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention CGA-PG05 - Use a back flow preventive device in the piping CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve slowly CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) P403 - Store in a well-ventilated place P501 - Dispose of contents/container in accordance with local/regional/national/international regulations
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	

Unknown acute toxicity (GHS-US) 2.4.

No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification (GHS-US)
Argon	(CAS No)7440-37-1	90	Compressed gas, H280
Carbon dioxide	(CAS No)124-38-9	10	Simple Asphy, H380 Liquefied gas, H280

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Symptoms similar to those listed under inhalation.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May increase respiration and heart rate. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medical	attention and special treatment needed
If you feel unwell, seek medical advice. If breathin	ng is difficult, give oxygen.
SECTION 5: Firefighting measures	
SECTION 5: Firefighting measures5.1.Extinguishing media	
5.1. Extinguishing media Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
5.1. Extinguishing media	 Use extinguishing media appropriate for surrounding fire. Do not use water jet.
5.1. Extinguishing media Suitable extinguishing media	: Do not use water jet.
5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	: Do not use water jet.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sub- 	: Do not use water jet.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sub- Fire hazard 	 Do not use water jet. stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sulfier hazard Explosion hazard 	 Do not use water jet. Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sufficient of t	 Do not use water jet. Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sult Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions Protection during firefighting 	 Do not use water jet. Do not use water jet. Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sulf Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions 	 Do not use water jet. Do not use water jet. Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the sult Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions Protection during firefighting 	 Do not use water jet. Do not use water jet. Stance or mixture The product is not flammable. Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. None known. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders		
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.	
Emergency procedures	: Evacuate and limit access. Ventilate area.	
6.2. Environmental precautions		
Try to stop release if safe to do so.		
6.3. Methods and material for containme	ent and cleaning up	
For containment	: Try to stop release if safe to do so.	
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.	
6.4. Reference to other sections		
See also Sections 8 and 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.	
Hygiene measures	: Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.	
Incompatible products	: None known.	
Incompatible materials	: None known.	
7.3 Specific and use(s)		

Specific end use(s) 7.3.

See Section 1.2 Specific end use(s).

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Blueshield 6			
DNEL	DNEL	~	
Carbon dioxide (124-38-9)			
USA ACGIH	ACGIH TWA (ppm)	5000 ppm	
USA ACGIH	ACGIH STEL (ppm)	30000 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	9000 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	5000 ppm	

Argon	(7440-37-1)
-------	-------------

8.2. Exposure controls	
Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.4 Information on bools about a low	
9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Clear, colorless gas.
Molecular mass	: Not applicable for gas-mixtures.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
pH	: Not applicable for gas-mixtures.
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable - not combustible
Vapor pressure	: Not applicable.
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Heavier than air.
Solubility	 Water: Solubility in water of component(s) of the mixture : 2000 mg/l 61 mg/l
Log Pow	: Not applicable for gas-mixtures.
Log Kow	: Not applicable for gas-mixtures.
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Explosive limits	: Not applicable - not flammable
9.2. Other information	
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECH	ON 10: Stability and reactivity
10.1.	Reactivity
None kn	own.
10.2.	Chemical stability
Stable u	nder normal conditions.
10.3.	Possibility of hazardous reactions
None kn	own.
10.4.	Conditions to avoid
None un	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kn	own.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use hazardous decomposition products should not be produced.
SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity	: Not classified
Argon (7440-37-1)	
LC50 inhalation rat (ppm)	410000 ppm/4h
Skin corrosion/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Serious eye damage/irritation	: Not classified
	pH: Not applicable for gas-mixtures.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	No known effects from this product.
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May increase respiration and heart rate. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Classification criteria are not met.
12.2. Persistence and degradability	
Blueshield 6	Ne dete evelletile
Persistence and degradability	No data available.
Carbon dioxide (124-38-9)	
Persistence and degradability	No ecological damage caused by this product.
Argon (7440-37-1)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Blueshield 6	
Log Pow	Not applicable for gas-mixtures.
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	No data available.

Carbon dioxide (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83
Bioaccumulative potential	No ecological damage caused by this product.
Argon (7440-37-1)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Mobility in soil	
Blueshield 6	
Mobility in soil	No data available.
Carbon dioxide (124-38-9)	
Ecology - soil	No ecological damage caused by this product.
Argon (7440-37-1)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
ffect on ozone layer	· None.
ffect on the global warming	: Contains greenhouse gas(es) not covered by 842/2006/EC.

SECTION 13: Disposal consideration	tions
13.1. Waste treatment methods	
Waste treatment methods	Contact supplier if guidance is required. May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
Ecology - waste materials	: None known.
SECTION 14: Transport informati	on

In accordance with DOT	
Transport document description	: UN1956 Compressed gas, n.o.s.
UN-No.(DOT)	: 1956
DOT NA no.	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Hazard labels (DOT)	: 2.2 - Non-flammable gas

DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted Ensure valve protection device (where provided) is correctly fitted.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR

Transport document description	: UN 1956, 2.2, (E) : 2 - Gases
Class (ADR)	
Hazard identification number (Kemler No.)	: 20
Classification code (ADR)	: 1A
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
Orange plates	20 1956
Tunnel restriction code (ADR)	: E
LQ	: 120ml
Excepted quantities (ADR)	: E1
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	 1956 COMPRESSED GAS, N.O.S. 2.2 - Non-flammable, non-toxic gases
Air transport	

Air transport

UN-No.(IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2
1 11 6 ()	

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

Carbon dioxide (124-38-9)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas		
Argon (7440-37-1)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas	Class A - Compressed Gas	
EU-Regulations No additional information available			

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carbon dioxide (124-38-9)

U.S. - Pennsylvania - RTK (Right to Know) List

Argon (7440-37-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Indication of changes	: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.
Training advice	. Receptacle under pressure.
Other information	: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases: see section 16:

Compressed gas	Gases under pressure Compressed gas
Liquefied gas	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
H280	Contains gas under pressure; may explode if heated
H380	May displace oxygen and cause rapid suffocation

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.