Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Helium (Compressed)

CAS Number • 7440-59-7

Product Code • 10047; 50001; 80010

EC Number • 231-168-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Medical and general analytical or synthetic chemical uses

1.3 Details of the supplier of the safety data sheet

Manufacturer • Air Liquide

2700 Post Oak Blvd. Houston, TX 77056 United States

www.us.airliquide.com sds@airliquide.com

Telephone (Technical) • 713-896-2896 Telephone (Technical) • 800-819-1704

1.4 Emergency telephone number

Manufacturer 800-424-9300 - CHEMTREC

Manufacturer +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Compressed Gas - H280

• Classification criteria not met and currently not classified under Annex I of the

Directive

2.2 Label Elements

CLP

WARNING



Hazard statements . H280 - Contains gas under pressure; may explode if heated

Precautionary statements

Storage/Disposal • P403 - Store in a well-ventilated place.

DSD/DPD

2.3 Other Hazards

CLP

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. This product is not considered dangerous under the European Directive 67/548/EEC

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Compressed Gas - H280 Simple Asphyxiant

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements . Contains gas under pressure; may explode if heated - H280 May displace oxygen and cause rapid suffocation.

Precautionary statements

Storage/Disposal . Store in a well-ventilated place. - P403

2.3 Other hazards

OSHA HCS 2012

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

Compressed Gas - A

2.2 Label elements

WHMIS



Compressed Gas - A

2.3 Other hazards

WHMIS

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information





Section 3 - Composition/Information on Ingredients

3.1 Substances

Hazardous Components						
Chemical Name	nical Namel - Identitiers = 1%(weight) 1)50/1 (50)		Classifications According to Regulation/Directive	Comments		
Helium	CAS:7440-59-7 EINECS:231-168- 5	> 99.99%	NDA	EU DSD/DPD: Not Classified - Criteria not met EU CLP: Self Classified - Press. Gas - Comp H280 OSHA HCS 2012: Press. Gas - Comp; Simple Asphyxiant	Maximum Impurities < 0.01%*	

3.2 Mixtures

 Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

Key to abbreviations

None of the trace impurities in this product contribute significantly to the hazards associated with the product. All hazard information pertinent to this *= product has been provided in the Safety Data Sheet, per the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and state equivalent standards.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

 Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Skin Eye

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

Ingestion

• Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. A potential health hazard associated with this gas is anoxia.

4.4 Other information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media . Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards

Hazardous Combustion Products

 Containers may explode when heated. Ruptured cylinders may rocket.

No data available

5.3 Advice for firefighters

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

. Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA).

Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices;

icing may occur.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.

Emergency Procedures

Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

6.2 Environmental precautions

No special environmental precautions necessary.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Stop leak if you can do it without risk.

Do not direct water at spill or source of leak.

Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

If possible, turn leaking containers so that gas escapes rather than liquid.

Isolate area until gas has dispersed.

Ventilate the area.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

• Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage.
 Cylinders should be firmly secured to prevent falling or being knocked-over.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

Currently there are no applicable exposure limits established for this material.

Exposure Control Notations

Portugal

•Helium (7440-59-7): Simple Asphyxiants: (Simple Asphyxiant)

Canada Ontario

•Helium (7440-59-7): **Simple Asphyxiants:** (Simple asphyxiant)

Canada Quebec

•Helium (7440-59-7): Simple Asphyxiants: (Simple asphyxiant)

Ireland

•Helium (7440-59-7): **Simple Asphyxiants:** (Asphyxiant)

Spain

•Helium (7440-59-7): **Simple Asphyxiants:** (simple asphyxiant)

ACGIH

•Helium (7440-59-7): Simple Asphyxiants: (Simple asphyxiant)

Exposure Limits Supplemental

ACGIH

•Helium (7440-59-7): TLV Basis - Critical Effects: (asphyxia)

8.2 Exposure controls

Engineering Measures/Controls

 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

 Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face Skin/Body

Wear safety glasses.

Wear leather gloves when handling cylinders.

 Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Environmental Exposure Controls

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description				
Physical Form Gas		Appearance/Description	Colorless gas with no odor.	
Color	Colorless	Odor	Odorless	
Odor Threshold	Data lacking			
General Properties		-	-	
Boiling Point	-452 F(-268.8889 C)	Melting Point	-458 F(-272.2222 C)	
Decomposition Temperature	Data lacking	рН	Not relevant	
Specific Gravity/Relative Density	Data lacking	Water Solubility	Data lacking	
Viscosity	Not relevant	Explosive Properties	Not explosive.	
Oxidizing Properties:	Not an oxidizing gas.			
Volatility	•	-	•	
Vapor Pressure	Data lacking	Vapor Density	0.14 to 0.15 Air=1	
Evaporation Rate	Data lacking			
Flammability	•	•	•	
Flash Point	Not relevant	UEL	Not relevant	
LEL	Not relevant	Autoignition	Not relevant	
Flammability (solid, gas)	Not flammable.			
Environmental	•		•	
Octanol/Water Partition coefficient	Data lacking			

9.2 Other Information

No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Excess heat.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

GHS Properties	Classification		
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Aspiration Hazard	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Carcinogenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Germ Cell Mutagenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Skin corrosion/Irritation	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Skin sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
STOT-RE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Toxicity for Reproduction	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Serious eye damage/Irritation	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		

Potential Health Effects Inhalation

Acute (Immediate)

 If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

Chronic (Delayed)

No data available

Skin

Acute (Immediate)

Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

• Under normal conditions of use, no health effects are expected.

Eye

Acute (Immediate)

Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

• Under normal conditions of use, no health effects are expected.

Ingestion

Acute (Immediate)

Ingestion is not anticipated to be a likely route of exposure to this product.

Chronic (Delayed)

• Ingestion is not anticipated to be a likely route of exposure to this product.

Mutagenic Effects

No data available.

Carcinogenic Effects

 The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Reproductive Effects

No data available.

Section 12 - Ecological Information

12.1 Toxicity

This gas does not present a hazard of toxicity to the environment.

12.2 Persistence and degradability

 This gas does not present a hazard of persistence and does not biodegrade as it is an elemental gas.

12.3 Bioaccumulative potential

This gas does not present a hazard of bio-accumulation.

12.4 Mobility in Soil

This gas does not present a hazard of mobility in the soil.

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

Material data lacking.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1046	Helium, compressed	2.2	NDA	NDA
TDG	UN1046	HELIUM, COMPRESSED	2.2	NDA	NDA
IMO/IMDG	UN1046	HELIUM, COMPRESSED	2.2	NDA	NDA
IATA/ICAO	UN1046	Helium, compressed	2.2	NDA	NDA

14.6 Special precautions for user

Cylinders should be transported in a secure position, in a well-ventilated vehicle. The
transportation of compressed gas cylinders in automobiles or in closed-body vehicles
can present serious safety hazards. If transporting these cylinders in vehicles, ensure
these cylinders are not exposed to extremely high temperatures (as may occur in an
enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated
during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

. Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Pressure(Sudden Release of)

State Right To Know					
Component	CAS	MA	NJ	PA	
Helium	7440-59-7	Yes	Yes	Yes	

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Helium	7440-59-7	Yes	No	Yes	Yes	No
Inventory (Con't.)						
Component		CAS	Japan EN	cs	TSCA	
Helium		7440-59-7		No	Yes	

Australia

Environment⁻

Australia - National Pollutant Inventory (NPI) Substance List

• Helium 7440-59-7 > 99.99% Not Listed

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Helium 7440-59-7 > 99.99% A

Canada - WHMIS - Ingredient Disclosure List

• Helium 7440-59-7 > 99.99% Not Listed

Environment[®]

Canada - CEPA - Priority Substances List

• Helium 7440-59-7 > 99.99% Not Listed

_

China

Environment 5

China - Ozone Depleting Substances - First Schedule

• Helium 7440-59-7 > 99.99% Not Listed

China - Ozone Depleting Substances - Second Schedule

• Helium 7440-59-7 > 99.99% Not Listed

China - Ozone Depleting Substances - Third Schedule

• Helium 7440-59-7 > 99.99% Not Listed

Other

China - Annex I & II - Controlled Chemicals Lists

• Helium 7440-59-7 > 99.99% Not Listed

China - Dangerous Goods List

• Helium 7440-59-7 > 99.99% UN1046; UN1963

China - Export Control List - Part I Chemicals

• Helium 7440-59-7 > 99.99% Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Helium 7440-59-7 > 99.99% Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Helium 7440-59-7 > 99.99% Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Helium 7440-59-7 > 99.99% Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Helium 7440-59-7 > 99.99% Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Helium 7440-59-7 > 99.99% Not Listed

Germany

Environment[®]

Germany - TA Luft - Types and Classes

• Helium 7440-59-7 > 99.99% Not Listed

Germany - Water Classification (VwVwS) - Annex 1

• Helium 7440-59-7 > 99.99% Not Listed

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Helium 7440-59-7 > 99.99% Not Listed

Germany - Water Classification (VwVwS) - Annex 3

Helium 7440-59-7 > 99.99% Not Listed

Other

Germany - Specifically Regulated Chemicals in TRGS

• Helium 7440-59-7 > 99.99% Not Listed

Portugal

-Other

Portugal - Prohibited Substances

• Helium 7440-59-7 > 99.99% Not Listed

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Helium 7440-59-7 > 99.99% Not Listed

United Kingdom - Substances Contained in Dangerous Substances or Preparations

• Helium 7440-59-7 > 99.99% Not Listed

Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Helium 7440-59-7 > 99.99% Not Listed

United Kingdom - The Red List - Dangerous Substances in Water

• Helium 7440-59-7 > 99.99% Not Listed

United States

⁻Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Helium 7440-59-7 > 99.99% Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents

• Helium 7440-59-7 > 99.99% Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

Helium 7440-59-7 > 99.99% Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Helium 7440-59-7 > 99.99% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Helium 7440-59-7 > 99.99% Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Helium 7440-59-7 > 99.99% Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Helium 7440-59-7 > 99.99% Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Last Revision Date Preparation Date

Disclaimer/Statement of Liability

- 25/July/2012
- 25/July/2012
- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations NDA = No Data Available

Helium (Compressed)